Data Summary Report: Fish and Game Tissue Assessment

Libby Asbestos Superfund Site Libby, Montana

June 2013

Contract No. EP-W-05-049 Work Assignment No. 329-RICO-08BC

Prepared for:



U.S. ENVIRONMENTAL PROTECTION AGENCY Region 8

Prepared by:



CDM Federal Programs Corporation 555 17th Street, Suite 1100 Denver, Colorado 80202 This page intentionally left blank to facilitate double-sided printing.

Data Summary Report: Fish and Game Tissue Assessment

Libby Asbestos Superfund Site Libby, Montana

Approvals:			
Elizabeth Fagen	Date: _	7/1/2013	
Elizabeth Fagen			
Libby Asbestos Superfund Site, OU4 Remedial Proje	ect Manager		
Rebecca J. Thomas	Date: _	7/2/2013	
Rebecca Thomas			
Libby Asbestos Superfund Site, Remedial Project Ma	anager Team Le	ader	

This page intentionally left blank to facilitate double-sided printing.

Table of Contents

1	INTRODUCTION											
	1.1	Site Background	9									
	1.2	Document Purpose	9									
	1.3	Document Organization	9									
2	DATA MANAGEMENT											
	2.1	Sample Collection, Documentation, Handling, and Custody	11									
	2.2	Analytical Results Recording	11									
	2.3	Hard Copy Data Management	11									
	2.4	Electronic Data Management	12									
3	FISH	I & GAME TISSUE ASSESSMENT STUDY	13									
	3.1	Study Design	13									
	3.	1.1 Game										
	3.	1.2 Fish	14									
	3.2	Collection Methods	15									
	3.	2.1 Game	15									
	3.	2.2 Fish	16									
	3.3	Sample Preparation and Analysis Methods	16									
	3.	3.1 Sample Preparation	16									
	3.	3.2 Analysis Method	17									
	3.	3.3 Results Reporting	18									
4	RESULTS											
	4.1	Fish Tissue	20									
	4.2	Game Tissue	20									
5	DAT	'A QUALITY ASSESSMENT	21									
	5.1	Oversight										
		1.1 Field										
		1.2 Laboratory										
	5.2	Field and Laboratory Modifications										
	5.3	Data Verification and Validation										
		3.1 Data Verification										
	5.	3.2 Data Validation										
	5.5	Quality Control Sample Evaluation										
	5.	5.1 Field Quality Control										
	5.	5.2 Laboratory Quality Control										

	5.6	Data Adequacy Evaluation	25										
		5.6.1 Completeness	25										
		5.6.2 Analytical Requirements	25										
		5.6.3 Evenness of Filter Loading											
		5.6.4 Data Adequacy Conclusions											
	5.7	Data Quality Conclusions	26										
6 REFERENCES27													
		List of Figures											
Figure 3-1		Libby Operable Unit 3 (OU3)											
Figure 3-2		Location of Mill Pond in Libby OU3											
Figure 3-3	•	Location of Deer Collection in Libby OU3											
		List of Tables											
Table 4-1		Fish Fillet Tissue Burden Results											
Table 4-2		Deer Tissue Burden Results											
Table 5-1		Description and Implications of Fish and Game Tissue Assessmen	t SAP/QAPP										
		Modifications											
Table 5-2		Evaluation of Field Duplicate for Fish Tissue											
Table 5-3		CHISQ Test Results for Filters with LA Structures											
		List of Appendices											
	A.2	1 Field Documentation (FSDS Forms and Field Logbook Notes) 2 Analytical Laboratory Job Reports Microsoft Access® Database for the Tissue Study (as of 6/24/2013))										
Appendix Appendix		Game Tissue Assessment, Necropsy Narrative Deer Tissue Fixation Laboratory Report											
Appendix		Record of Modification											
Appendix	F	Data Verification Summary Report											

List of Acronyms and Abbreviations

% percent

Ago area of grid opening

CB&I Federal Services, LLC

CDM Smith CDM Federal Programs Corporation

CH chrysotile CHISQ chi-square

COC chain of custody

DQA data quality assessment
DQO data quality objectives
EDD electronic data deliverable

EDS energy dispersive spectroscopy

EFA effective filter area

EPA U.S. Environmental Protection Agency
ESAT Environmental Sampling Assistance Team

F fraction of the original tissue sample applied to the filter

FSDS field sample data sheet

g grams

GO grid opening ID identification

IDW investigation derived waste

ISO International Standards Organization

LA Libby amphibole

MFWP Montana Fish, Wildlife and Parks

mL milliliter

mm² square millimeters

N number of asbestos structures counted

NAM non-asbestos materials

NFG National Functional Guidelines NTP National Toxicology Program

NVLAP National Voluntary Laboratory Accreditation Program

OA other amphibole
OU Operable Unit
QA quality assurance

QAPP quality assurance project plan

QATS Quality Assurance Technical Support

QC quality control

ROM record of modification S analytical sensitivity

s structures

SAED selective area electron diffraction SAP sampling and analysis plan Shaw E&I Shaw Environmental & Infrastructure Group

Site Libby Asbestos Superfund Site SOP standard operating procedure TEM transmission electron microscopy

TS tissue study μm micrometers

USFWS U.S. Fish and Wildlife Service

UTV utility vehicle ww wet weight

1 INTRODUCTION

1.1 Site Background

Libby is a community in northwestern Montana located 7 miles southwest of a vermiculite mine that operated from the 1920s until 1990. The mine began limited operations in the 1920s and was operated on a larger scale by the W.R. Grace Company from approximately 1963 to 1990. Studies revealed that the vermiculite from the mine contains amphibole-type asbestos, referred to as Libby amphibole (LA).

Epidemiological studies revealed that workers at the mine had an increased risk of developing asbestos-related lung disease (McDonald *et al.* 1986, 2004; Amandus and Wheeler 1987; Amandus *et al.* 1987; Whitehouse 2004; Sullivan 2007). Additionally, radiographic abnormalities were observed in 17.8 percent (%) of the general population of Libby including former workers, family members of workers, and individuals with no specific pathway of exposure (Peipins *et al.* 2003; Whitehouse *et al.* 2008; Antao *et al.* 2012; Larson *et al.* 2010, 2012a, 2012b). Although the mine has ceased operations, historic or continuing releases of LA from mine-related materials could be serving as a source of ongoing exposure and risk to current and future residents and workers in the area. The Libby Asbestos Superfund Site (Site) was listed on the National Priorities List in October 2002.

1.2 Document Purpose

Historic mining and milling operations at the Site have resulted in the release of LA to the environment. Previous investigations have demonstrated that LA is present in soils, sediments, surface water, soil, duff¹, and tree bark at the Site. Although the exposure pathway of primary concern for humans is inhalation of LA, some studies in animals suggest that ingestion of asbestos fibers can result in the growth of benign intestinal polyps (National Toxicology Program [NTP] 1985).

In 2012, the U.S. Environmental Protection Agency (EPA) conducted a study, referred to as the *Fish and Game Tissue Assessment*, to investigate LA tissue burdens in fish and large game collected from the Site (EPA 2012a). This document summarizes the results of this study.

1.3 Document Organization

In addition to this introduction, this report is organized into the following sections:

Section 2 This section summarizes data management procedures, including sample collection, documentation, handling, custody, and data management.

¹ Duff is comprised of un-decomposed twigs, needles, and other vegetation and the layer of partially- to fully-decomposed litter that occurs on top of the mineral soil in forested areas.

- Section 3 This section summarizes the design of the study, and describes the data that were collected in this investigation, the analytical methods used for estimating the level of LA in tissues, as well as the data reduction methods utilized in this report.
- Section 4 This section summarizes the results for data that were collected as part of this study, including an evaluation of the levels of LA in each tissue type.
- Section 5 This section presents the results of the data quality assessment, including a summary of program audits, modifications, data verification efforts, an evaluation of quality control samples, and a data adequacy assessment.
- Section 6 This section provides full citations for all analytical methods, site-related documents, and scientific publications referenced in this document.

Referenced tables and figures are provided at the end of this document. Appendices A and B are provided electronically; all other appendices are provided at the end of this document.

2 DATA MANAGEMENT

2.1 Sample Collection, Documentation, Handling, and Custody

All samples generated as part of this investigation were collected, documented, and handled in accordance with Libby-specific standard operating procedures (SOPs), as specified in the governing sampling and analysis plan/quality assurance project plans (SAP/QAPPs) (EPA 2012a, 2012b, 2012c).

All tissue samples collected in this study were identified with sample identification numbers (IDs) that included a program-specific prefix of "TS" (e.g. TS-00001). Data on the sample type, location, collection method, and collection date of all samples were recorded on a field sample data sheet (FSDS) designed to facilitate data entry into the field Scribe project database (see below). All samples collected in the field were maintained under chain of custody during sample handling, preparation, shipment, and analysis.

2.2 Analytical Results Recording

Standardized data entry spreadsheets (electronic data deliverables [EDDs]) have been developed specifically for the Libby project to ensure consistency between laboratories in the presentation and submittal of analytical data. In general, a unique EDD has been developed for each analytical method and each medium. Each EDD provides the analyst with a standardized laboratory bench sheet and accompanying data entry form for recording analytical data. The data entry forms contain a variety of built-in quality control functions that improve the accuracy of data entry and help maintain data integrity. These spreadsheets also perform automatic computations of analytical input parameters (e.g., sensitivity, dilution factors, and concentration), thus reducing the likelihood of analyst calculation errors. The EDDs generated by the laboratories are uploaded directly into the Libby site database (see Section 2.4).

2.3 Hard Copy Data Management

Hard copies of all FSDSs, field logbooks, and chain of custody forms (COCs) generated during these investigations are stored in the CDM Smith field office in Libby, Montana. **Appendix A.1** of this report provides copies of the field documentation.

All analytical bench sheets are scanned and included in the analytical laboratory job reports. These analytical reports are submitted to the Libby laboratory coordinator (i.e., EPA's Environmental Services Assistance Team [ESAT] contractor, TechLaw) and stored electronically. **Appendix A.2** of this report provides copies of all the analytical laboratory reports for analyses performed as part of these investigations.

2.4 Electronic Data Management

Sample and analytical electronic data are stored and maintained in the Libby Scribe project databases which are housed on a local computer located at the TechLaw office in Golden, Colorado, which is backed up daily to an external hard drive. Raw data summarized in this report were downloaded from Scribe.NET on 6/24/2013, into a Microsoft Access® database by CDM Smith. A frozen copy of this Access database is provided in **Appendix B** of this report.

Because data for the Libby project are maintained in multiple Scribe projects (e.g., analytical data are managed in annual projects, field information is managed in a project separate from the analytical information), the data have been combined into one Access database reflecting a compilation of tables from multiple Scribe projects. Any changes made to these Scribe projects since this download will not be reflected in the Access database.

3 FISH & GAME TISSUE ASSESSMENT STUDY

3.1 Study Design

The purpose of the study was to collect data on tissue burdens in large game and fish that could be used to evaluate two potential human ingestion exposure scenarios:

<u>Ingestion of Game</u>. One exposure scenario is the ingestion of edible tissue from hunted game that forage at the Site. Large game, including deer and elk, have been observed at the Site and may be exposed to LA in a variety of potential exposure media. It is possible that these animals may have accumulated LA in their tissues as a result of these exposures.

<u>Ingestion of Fish</u>. Another exposure scenario is the ingestion of LA in edible fish tissue (fillets) from fish caught from local streams and ponds that contain LA.

Detailed information on this sampling study, including study-specific data quality objectives (DQOs) is provided in the governing SAP/QAPPs (EPA 2012a, 2012b, 2012c). The DQOs and study design for the collection of fish tissue (which were collected as part of an OU3-specific investigation) are provided in the *Phase V SAP/QAPP for Operable Unit 3 (OU3), Libby Asbestos Superfund Site, Part B: 2012 Ecological Studies* (EPA 2012b). The DQOs and study design for the collection of game tissue and the analysis of tissue burdens in fish and game tissues are provided in the *Fish and Game Tissue Assessment SAP/QAPP* (EPA 2012a). The study design for the evaluation of asbestos in fixed game tissue samples is summarized in an addendum (EPA 2012c) to the *Fish and Game Tissue Assessment SAP/QAPP*. An overview of the study designs developed to address each exposure scenario is summarized below.

3.1.1 Game

3.1.1.1 Target Sampling Location

The level of LA in game tissue is assumed to be related to the concentration of LA in various exposure media (e.g., soil, duff material) and the length of time the animal may have been exposed to these media (i.e., older game animals are likely to have higher tissue concentrations than younger animals). Studies conducted at the Site have shown elevated concentrations of LA in various environmental media at the mine site and in the forested areas surrounding the mine site (i.e., OU3). To ensure that this assessment focused on the high-end of the potential range of exposure conditions, the mine site and forested areas immediately surrounding the mine site were the target sampling locations for the collection of game animals (see **Figure 3-1**).

3.1.1.2 Target Species

Two types of large game animals were identified for potential collection, including deer (either mule deer, *Odocoileus hemionus*, or white-tailed deer, *Odocoileus virginianus*) and elk (*Cervus elaphus*). These animals are the most common large game animals consumed by humans in the Libby area.

3.1.2 Fish

3.1.2.1 Target Sampling Location

The level of LA in fish tissue is assumed to be related to the concentration of LA in surface water and sediment, as well as the length of time the fish may have been exposed to these media (i.e., older fish are likely to have higher tissue concentrations than younger fish). Studies conducted at the Site have shown elevated concentrations of LA in surface water and sediment in the streams and ponds on the mine site (i.e., OU3). Within OU3, one location – the Mill Pond (see **Figure 3-2**) – has water concentrations of LA that are high (measured concentrations of total LA were often greater than 5 million fibers per liter in the pond) and large fish are known to be present. Other locations in OU3 (e.g., lower Rainy Creek, Carney Creek, Fleetwood Creek, tailings impoundment) have elevated levels of LA, but the sizes of the fish present are relatively small or fish are absent. Fish caught from the Kootenai River below the confluence with Rainy Creek may be large, but water concentrations of LA are much lower in the Kootenai River than in onsite OU3 waters. Therefore, even though access to the Mill Pond is currently restricted to include only authorized personnel, the Mill Pond was selected as the target sampling location to ensure that fish tissues were at the high-end of the potential range of exposures.

3.1.1.2 Target Species and Size

Based on fish population sampling conducted at OU3 in 2008 and 2009, the predominant species in site streams and ponds are rainbow trout (*Oncorhynchus mykiss*), cutthroat trout (*Oncorhynchus clarki*), and rainbow/cutthroat ("cutbow") hybrids (Parametrix 2009, 2010). Because all these species may be kept for human consumption, any of these species were deemed appropriate for collection as part of this study. Only fish 8 inches or longer were targeted for collection, since this is the size range that is likely to be kept and ingested by humans (Montana Fish, Wildlife and Parks [MFWP] 2011).

3.2 Collection Methods

3.2.1 Game

3.2.1.1 Animal Collection

The SAP/QAPP (EPA 2012a) specified the use of bait sites with monitoring by motion activated game cameras for the identification of areas used by deer or elk. Bait sites were set by field personnel using corn in October of 2012. However, these bait sites were not needed and cameras were not used as the sacrificed deer was spotted by the U.S. Fish and Wildlife Service (USFWS) employee from an upper tier of the mine and shot.

One game animal, a female mule deer (*Odocoileus hemionus*), was collected by a USFWS employee on October 22, 2012, from within OU3 (see **Figure 3-3**). The animal was collected by rifle with one bullet which entered the right side of the neck and exited behind the left shoulder. The deer ran about 40 yards where it was recovered. The collection met the requirements of the MFWP Scientific Collection Permit.

At the point of collection, the animal was wrapped in polysheeting and removed from OU3 by use of a utility vehicle (UTV). The animal was moved to the amphitheatre area (see **Figure 3-3**) where it was hung using a gamble, bled out, and the hide and skin were removed. The hide, head, and legs were disposed of at the mine. To make transport easier, all four legs were removed at the knees as well as the head. The lower jaw was removed from the head for the purposes of aging. The remaining deer and the lower jaw were wrapped in clean poly sheeting and the UTV was decontaminated. The deer and lower jaw were placed back in the UTV where they were removed from the exclusion zone to the green gate area of Rainy Creek Road (see **Figure 3-3**) for tissue sample collection.

3.2.1.2 Tissue Sample Collection

Once the animal was removed from the exclusion zone, tissue samples were collected by gross dissections. The gross necropsy and collection of tissue samples was conducted in general accordance with the procedures specified in Libby-specific SOP EPA-LIBBY-2012-15, *Gross Necropsy and Tissue Sample Collection for Game Animals*. The gross necropsy was performed by EPA personnel with field documentation assistance by CDM Smith personnel.

Inside shoulder and backstrap muscle samples were collected for assessing potential human health risks associated with the ingestion of LA in deer or elk tissue. Other target tissues were also collected to confirm exposures to asbestos including the heart, liver, lung, kidney, and diaphragm. SOP EPA-LIBBY-2012-15 provides detailed information on the collection procedures for each tissue type. During the necropsy, samples were kept on wet ice. At the completion of the necropsy, samples for tissue burden analysis were frozen and then shipped to the analytical laboratory on wet ice for analysis of LA.

In addition to collecting tissue samples for the purposes of quantifying LA tissue burdens, tissue samples of muscle, heart, liver, lung, pleura, trachea, diaphragm, large intestine, and kidney were also collected and fixed for examination to provide information on the location of LA fibers in game tissue and the types of specific intercellular interactions and responses to the presence of LA fibers. Detailed information on the tissue fixation process is provided as an addendum (EPA 2012c) to the *Fish and Game Tissue Assessment SAP/QAPP*.

After the collection of the target tissues, the lower jawbone was transferred to a local MFWP office for aging. The local biologist estimated the deer to be about 8 years old. The remaining jaw and muscle tissues were frozen and archived at the CDM Smith field office in Libby. Per the MFWP permit, the remaining muscle tissue was given to MFWP for use as bait after being deemed fit for consumption (based on the analytical results). The ribcage and internal organs were disposed of as investigation-derived waste (IDW) at the landfill.

3.2.2 Fish

3.2.2.1 Fish Collection

A total of seven fish were collected from the Mill Pond (see **Figure 3-2**) on August 6, 2012. The fish were collected by use of a fishing pole and lure. Collected fish included two rainbow trout, one cutthroat trout, and four cutbow trout. Following collection, fish were frozen whole and then shipped to the analytical laboratory on wet ice for analysis of LA.

3.2.2.2 Tissue Sample Collection

Fish were filleted by the analytical laboratory in accordance with the procedures specified in Libby-specific SOP EPA-LIBBY-2012-14, *Filleting Fish Samples*. In brief, one skin-off fillet from each fish was collected. The remainder of the fish (i.e., the other fillet, organs, carcass) was frozen and placed in archive at the analytical laboratory.

3.3 Sample Preparation and Analysis Methods

3.3.1 Sample Preparation

Tissue samples were prepared and analyzed in basic accordance with the Libby-specific SOP EPA-LIBBY-2012-13, *Analysis of Tissue for Asbestos*. In brief, each sample was dried and ashed, and an aliquot of the resulting ash residue was acidified, suspended in water, and filtered. One filter was created for each tissue sample. Each filter was used to prepare a minimum of three grids using the grid preparation techniques described in Section 9.3 of International Organization for Standardization (ISO) 10312:1995(E) (ISO 1995).

3.3.2 Analysis Method

3.3.2.1 Counting and Recording Rules

Grids were examined by transmission electron microscopy (TEM) in basic accordance with the recording procedures described in ISO 10312:1995(E), as modified by the most recent versions of Libby Laboratory Modifications LB-000016, LB-000029, LB-000066, LB-000067, and LB-000085. During the analysis, the analyst recorded the size (length, width) and mineral type of each individual asbestos structure that was observed. Only asbestos structures having a length greater than or equal to (\geq) 0.5 micrometers (μ m) and an aspect ratio (length: width) \geq 3:1, were recorded as countable structures. Mineral type was determined by selected area electron diffraction (SAED) and energy dispersive spectroscopy (EDS), and each structure was assigned to one of the following four categories:

- LA Libby-class amphibole. Structures having an amphibole SAED pattern and an elemental composition similar to the range of fiber types observed in ores from the Libby mine (Meeker *et al.* 2003). This is a sodic tremolitic solid solution series of minerals including winchite and richterite, with lower amounts of tremolite, magnesio-arfvedsonite, magnesio-riebeckite, and edenite/ferro-edenite. Depending on the valence state of iron, some minerals may also be classified as actinolite.
- OA Other amphibole-type asbestos fibers. Structures having an amphibole SAED pattern and an elemental composition that is not similar to fiber types from the Libby mine. Examples include crocidolite, amosite, and anthophyllite. There is presently no evidence that these fibers are associated with the Libby mine.
- CH Chrysotile fibers. Structures having a serpentine SAED pattern and an elemental composition characteristic of chrysotile. There is presently no evidence that chrysotile fibers are associated with the Libby mine. For the purposes of this investigation, chrysotile structures were recorded if observed, but chrysotile structure counting stopped after 25 structures were recorded.

NAM Non-asbestos material. These may include non-asbestos mineral fibers such as gypsum, glass, or clay, and may also include various types of organic and synthetic fibers derived from carpets, hair, etc. *Recording of NAM structures was not required for these investigations*.

In addition, information on the sodium and potassium content and mineral identification (e.g., winchite, tremolite), as determined by EDS, of each amphibole asbestos structure observed was also recorded.

3.3.2.2 Stopping Rules

The stopping rules for the TEM analysis of tissue samples were as follows:

- 1. Count a minimum of two grid openings from each of two grids.
- 2. Continue counting until one of the following is achieved:
 - a. 25 LA structures have been observed.
 - b. A total filter area of 0.25 square millimeters (mm²) has been examined (this is approximately 25 grid openings).

When one of these criteria was satisfied, the analyst was instructed to complete the examination of the final grid opening and stop.

3.3.3 Results Reporting

3.3.3.1 Calculation of Tissue Burden

The results for each tissue analysis were expressed in terms of LA structures per gram of tissue on a wet weight basis (s/g, ww). The concentration of LA in tissue is given by:

$$C_{tissue} = N \cdot S$$

where:

 C_{tissue} = Tissue concentration, expressed as structures per gram of tissue, wet weight (s/g, ww)

N = Number of LA structures observed

S = Analytical sensitivity (per grams, wet weight [g, ww⁻¹])

For tissue, the analytical sensitivity is calculated as:

$$S = EFA / (GOx \cdot Ago \cdot Mass \cdot F)$$

where:

S = Analytical sensitivity (g, ww⁻¹)

EFA = Effective filter area (mm²)

GO = Number of grid openings counted

Ago = Area of a grid opening (mm²)

Mass = Mass of the tissue aliquot taken for analysis (g, ww)

F = Fraction of the original tissue sample applied to the filter, calculated as:

Volume applied to filter, milliliter (mL) / 100 mL

3.3.3.2 Combining Results from Multiple Replicate Filters

The best estimate of the mean tissue concentration across a set of multiple samples is calculated simply by averaging the individual concentration values. Note that samples with a count of zero (and hence a concentration of zero) are evaluated as zero when computing the best estimate of the mean (EPA 2008). This approach yields an unbiased estimate of the true mean that does not depend on the analytical sensitivity of the samples included in the data set.

4 RESULTS

4.1 Fish Tissue

Table 4-1 presents a summary of the results for fish collected from the Mill Pond in OU3. This table provides detailed information on each fish collected (species, length, weight), as well as the analysis results. Structure counts and tissue concentrations are presented based on both total LA (all recorded structures) and LA structures longer than $10 \, \mu m$, because this is the concentration metric that is used for the purposes of evaluating potential ingestion exposures.

As seen, LA was detected in all fish fillet samples. Tissue burdens for total LA were quite variable, ranging from 9.4E+03 to 6.4E+06 s/g, ww, with a mean concentration of 1.2E+06 s/g, ww. The mean concentration based on LA structures longer than $10~\mu m$ was 4.2E+04 s/g, ww. No asbestos was detected in the field blank sample.

Note that an evaluation of potential exposure and risk from ingestion of LA in fish tissue is beyond the scope of this data summary report. Screening level risk estimates will be provided as part of the human health risk assessment for the Site.

4.2 Game Tissue

Appendix C provides a narrative and photographs of the deer necropsy and tissue collection.

Table 4-2 presents a summary of the tissue burden results for analyses of game tissue samples for LA. This table provides detailed information on each game tissue type collected, as well as the analysis results. As described above, structure counts and tissue concentrations are presented based on both total LA and LA structures longer than $10 \, \mu m$. As seen, LA was not detected in any of the game tissue samples or in the field blank sample.

In addition to collecting tissue samples for the purposes of quantifying LA tissue burdens, tissue samples of muscle, heart, liver, lung, pleura, trachea, diaphragm, large intestine, and kidney were also collected and fixed for examination to provide information on the location of LA fibers in game tissue and the types of specific intercellular interactions and responses to the presence of LA fibers. The detailed results of the game tissue fixation are provided as **Appendix D**. LA fibers were not observed in any of the fixed tissue samples.

5 DATA QUALITY ASSESSMENT

Data quality assessment (DQA) is the process of reviewing existing data to establish the quality of the data and to determine how any data quality limitations may influence data interpretation (EPA 2006).

5.1 Oversight

5.1.1 Field

Due to the opportunistic nature of this study, no formal field surveillances or audits were performed. However, CDM Smith field personnel were onsite during the collection of all game tissue samples to assist with all field collection and documentation procedures and ensure that processes followed the Libby-specific SOPs that governed this collection effort.

5.1.2 Laboratory

Laboratory audits are conducted to evaluate laboratory personnel to ensure that samples are handled and analyzed in accord with the program-specific documents and analytical method requirements (or approved Libby laboratory modification forms) to make certain that analytical results reported are correct and consistent. All aspects of sample handling, preparation, and analysis are evaluated. If any issues are identified, laboratory personnel are notified and retrained as appropriate.

A series of laboratory audits was performed in May through September 2012 to evaluate all of the Libby laboratories. Detailed audit findings for each laboratory are documented in separate laboratory-specific audit reports (CB&I Federal Services, LLC [CB&I], formerly Shaw Environmental & Infrastructure Group [Shaw E&I] 2012a-f). No critical deficiencies were noted during the 2012 laboratory audits that would be expected to impact data quality for TEM analyses.

5.2 Field and Laboratory Modifications

All field deviations from, and modifications to, the governing SAP/QAPPs were recorded on a field Libby Record of Modification (ROM) Form. The ROM forms are used to document all permanent and temporary changes to procedures contained in guidance documents governing investigation that have the potential to impact data quality or usability.

During the Fish and Game Tissue Assessment, one field modification (LFO-000173) was created that documented changes from sample collection and analysis methodology specified in the SAP/QAPP (EPA 2012a). No laboratory modifications were created for samples collected as part of this study. **Appendix E** provides a copy of LFO-000173. **Table 5-1** summarizes the

modifications for this investigation and notes the impact of each deviation on the quality and usability of the data. As indicated, none of the modifications are expected to have a negative impact on data quality or usability.

5.3 Data Verification and Validation

The Libby Scribe project databases have a number of built-in quality control checks to identify unexpected or unallowable data values during upload into the database. Any issues identified by these automatic upload checks were resolved by consultation with the field teams and/or analytical laboratory before entry of the data into the database. After entry of the data into the database, several additional data verification steps were taken to ensure the data were recorded and entered correctly.

5.3.1 Data Verification

In order to ensure that the database accurately reflects the original hard copy documentation, all data downloaded from the database were examined to identify data omissions, unexpected values, or apparent inconsistencies. In addition, 10% of all samples and analytical results underwent a detailed verification. In brief, verification involves comparing the data for a sample in the database to information on the original hard copy FSDS form and the original hard copy analytical bench sheets for that sample.

Appendix F presents a summary of the findings of the data verification for this investigation. In brief, a total of three TEM analyses (13%) were reviewed in accordance with SOP EPA-LIBBY-09 as part of the detailed data verification effort. Hard copy FSDS forms were reviewed in accordance with SOP EPA-LIBBY-11 for these three samples. No critical issues (i.e., those that could potentially impact the reported asbestos structure counts or concentrations) were identified. A few non-critical issues were identified (typographical error in grid opening name and missing Event ID information), as well as an issue related to a Scribe upload error (the data in the EDD were correctly reported, but were not imported into the project database properly).

All issues identified during the data verification effort were submitted to the field teams, analytical laboratories, and data managers for resolution and rectification. All tables, figures, and appendices (including all hard copy documentation and the database [provided in **Appendix A** and **Appendix B**, respectively]) generated for this report reflect corrected data.

5.3.2 Data Validation

Unlike data verification, where the goal is to identify and correct data reporting errors, the goal of data validation is to evaluate overall data quality and to assign data qualifiers, as appropriate, to alert data users to any potential data quality issues.

Data validation is performed by the EPA Quality Assurance Technical Support (QATS) contractor (CB&I), with support from technical support staff that are familiar with investigation-specific data reporting, analytical methods, and investigation requirements. For the Libby project, data validation of TEM results is performed in accordance with Libby-specific SOPs that were developed based on the draft *National Functional Guidelines (NFG) for Asbestos Data Review* (EPA 2011).

The EPA QATS contractor prepares an annual summary of the program-wide assessment of quality assurance/quality control (QA/QC). This annual addendum provides detailed information on the validation procedures performed and provides a narrative on the quality assessment for each analysis method, including the data qualifiers assigned and the reason(s) for these qualifiers to denote when results do not meet acceptance criteria. This annual summary details any deficiencies, required corrective actions, and makes recommendations for changes to the QA/QC program to address any data quality issues.

A copy of the program-wide QA/QC summary report covering samples collected and analyzed in 2010-2012 (CB&I 2013) is currently pending. When this report is finalized, it will be located on the Libby Lab eRoom. Interpretation of the data quality is subject to change upon completion of this report.

5.5 Quality Control Sample Evaluation

5.5.1 Field Quality Control

Field-based QC samples are those samples that are prepared in the field and submitted to the laboratory for analysis concomitant with the field samples. Three types of field QC samples were collected for tissue – field blanks, field duplicates, and equipment blanks.

5.5.1.1 Field Blanks

A field blank is a sample of the same medium as field samples, but which does not contain any contaminant. Field blanks were prepared by processing store-bought whole trout and beef steak in the same manner as the field samples. One field blank was submitted for fish and one field blank was submitted for game. The field blanks were analyzed for asbestos fibers by the same method as was used for field sample analysis. The field blanks were submitted to the laboratory in a blind fashion (i.e., the laboratory is not aware the sample is a QC sample, and treats the sample in the same way as a field sample). The results for the field blanks are presented in **Table 4-1** for fish and **Table 4-2** for game. As seen, all field blank samples were non-detect for LA. These results demonstrate that LA was not introduced into the samples as a consequence of sample collection and handling or analysis.

5.5.1.2 Field Duplicates

Field duplicates for tissue are the analyses of a second sample of the same tissue type from a field sample. The field duplicates were collected using the same collection technique as the parent field samples. One field duplicate was submitted for fish and one field duplicate was submitted for game. For fish, the field duplicate was the other fillet from one of the field samples (i.e., the right fillet was submitted as the field sample and the left fillet was submitted as the field duplicate). Because the analytical laboratory performed the filleting, the field duplicate for fish was not blind to the laboratory. For game, a second portion of shoulder muscle tissue was submitted as the field duplicate. Field duplicates for game were blind to the analytical laboratories (i.e., the laboratory could not distinguish between field samples and field duplicates). Field duplicates were sent for analysis by the same method as the field samples.

For game, both the field sample and the associated field duplicate were non-detect for LA structures. These results show that the game tissue results are reproducible.

For fish, the original and field duplicate sample results were compared using the Poisson ratio test recommended by Nelson (1982). As shown in **Table 5-2**, the total LA concentrations differed by a factor of about ten, and results were statistically different based on the Poisson ratio comparison (90% confidence interval). These results indicate that the difference between the field sample and field duplicate is more than would be expected based on analytic variability (i.e., Poisson counting error) alone. These results show that there is inherent within-sample variability in fish tissue concentrations that must be considered when drawing conclusions from these results.

5.5.1.3 Equipment Rinsates

Equipment rinsate samples are collected to evaluate potential contamination that arises to due inadequate decontamination of sampling equipment. Following decontamination efforts the field sampling equipment used to collect game tissues (i.e., scalpels, and other tissue collection instruments), the decontaminated equipment was rinsed with distilled water and the resulting rinsate collected in a container for preparation, filtration, and analysis by TEM (see the SAP/QAPP [EPA 2012a] for detailed information on preparation and analysis methods).

No asbestos structures were observed in an examination of 25 grid openings (achieved analytical sensitivity of $39,846 \, L^{-1}$). These results show that cross-contamination of tissue samples due to inadequate decontamination procedures is not of concern.

5.5.2 Laboratory Quality Control

The Libby-specific QC requirements for TEM analyses of asbestos are patterned after the requirements set forth by the National Voluntary Laboratory Accreditation Program (NVLAP). In brief, there are three types of laboratory-based QC analyses for TEM – laboratory blanks,

recounts, and repreparations. Detailed information on the Libby-specific requirements for each type of TEM QC analysis, including the minimum frequency rates, selection procedures, acceptance criteria, and corrective actions are provided in the most recent version of Libby Laboratory Modification LB-000029.

Laboratory QC analyses will evaluated by the EPA QATS contractor on a program-wide basis rather than on an investigation-specific basis. The rationale for this is that the number of preparation and laboratory QC samples directly related to this investigation is too limited to draw meaningful conclusions regarding overall data quality. Refer to the pending program-wide QA/QC summary report covering samples collected and analyzed in 2010-2012 (CB&I 2013) for information regarding program-wide data quality of the preparation and analytical laboratories. As noted previously, interpretation of the data quality is subject to change upon completion of this report.

5.6 Data Adequacy Evaluation

A comparison of the data collected as part of this study with the DQOs summarized in the governing SAP/QAPPs (EPA 2012a, 2012b) is presented below.

5.6.1 Completeness

As specified in EPA (2012b), the goal was to collect 5-10 trout (rainbow trout, cutthroat trout, or cutbow hybrids) from the Mill Pond that were 8 inches or longer in length. As shown in **Table 4-1**, this study objective was met.

As specified in EPA (2012a), the goal was to collect one female deer and one female elk from within OU3. If an elk was not available, a second deer was to be collected. For assessing potential human health risks associated with the ingestion of LA in game tissue, flank and backstrap muscle samples were to be collected for tissue burden analysis. To confirm exposures to asbestos, other target tissues, including the heart, liver, lung, kidney, and diaphragm, were also be collected for tissue burden analysis. As shown in **Table 4-2**, there are two deviations from the original study objectives. First, only one female deer was collected (i.e., no elk or second deer were collected). Second, rather than collecting flank tissue, muscle tissue from the inside shoulder was collected. Since this type of muscle tissue is expected to be consumed by humans, this deviation does not affect study completeness.

All collected game and fish tissue samples were successfully analyzed by TEM in accordance with the methods and recording rules specified in the SAP/QAPP (EPA 2012a).

5.6.2 Analytical Requirements

As described above (see Section 3.3.2.2), the stopping rules for the TEM analysis of tissue samples were as follows:

- 1. Count a minimum of two grid openings from each of two grids.
- 2. Continue counting until one of the following is achieved:
 - a. 25 LA structures have been observed
 - b. A total filter area of 0.25 mm²

Inspection of the analytical information in **Table 4-1** (fish) and **Table 4-2** (game) shows that all tissue analyses evaluated four or more grid openings. All game tissue analyses examined a total of 25 grid openings (a total filter area of 0.325 mm^2), which meets the total filter area stopping rule. With the exception of two analyses, all fish tissue analyses reported more than 25 total LA structures. However, the number of LA structures longer than 10 μ m was less than 5 structures for all fish tissue samples. **Table 4-1** (fish) and **Table 4-2** (game) includes the 90% Poisson confidence interval for each sample to illustrate the effect of analytic uncertainty due to Poisson counting error on the reported tissue burdens. For the two analyses that did not achieve the structure stopping rule, the analysis met the total filter area stopping rule (i.e., a total filter area of 0.325 mm^2 was examined). Thus, all tissue analyses achieved the analytical requirements specified in the SAP/QAPP (EPA 2012a).

5.6.3 Evenness of Filter Loading

The TEM analysis of filters generated from tissue samples examines only a portion of the total filter. For the purposes of computing concentration in the tissue sample, it is assumed that the filter is evenly loaded. The assessment of filter loading evenness is evaluated using a Chi-square (CHISQ) test, as described in ISO 10312 Annex E. If a filter fails the CHISQ test for evenness, the reported result may not be representative of the true concentration in the sample, and the results should be given low confidence. **Table 5-3** presents the CHISQ results for each tissue sample where one or more LA structures were detected. Inspection of the p-values for the tissue analyses shows that all filters passed the CHISQ test for evenness (i.e., p-value > 0.001). Thus, it is concluded that uneven filter loading is not of significant concern for the tissue samples analyzed in this study.

5.6.4 Data Adequacy Conclusions

Based on the data adequacy assessment presented above it is concluded that the data generated during the Fish and Game Tissue Assessment study met the DQOs stated in the governing SAP/QAPPs and results are adequate to support the data evaluations presented in this report.

5.7 Data Quality Conclusions

Taken together, these results indicate that data collected as part of the *Fish and Game Tissue Assessment* study are representative, of acceptable quality, and considered to be reliable and appropriate for use without qualification.

6 REFERENCES

Amandus, H.E., and R. Wheeler. 1987. The Morbidity and Mortality of Vermiculite Miners and Millers Exposed to Tremolite-Actinolite: Part II Mortality. *American Journal of Industrial Medicine* 11:15-26.

Amandus, H.E., Wheeler, P.E., Jankovic, J., and J. Tucker. 1987. The Morbidity and Mortality of Vermiculite Miners and Millers Exposed to Tremolite-Actinolite: Part I Exposure Estimates. *American Journal of Industrial Medicine*. 11:1-14.

Antao, V.C., Larson, T.C., and D.K. Horton. 2012. Libby vermiculite exposure and risk of developing asbestos-related lung and pleural diseases. *Current Opinion in Pulmonary Medicine* 18(2):161-167.

CB&I Federal Services, LLC (CB&I). 2013. 2010-2012 QA/QC Summary Report for the Libby Asbestos Superfund Site. [report in preparation]

EPA. 2006. *Guidance on Systematic Planning Using the Data Quality Objectives Process – EPA QA/G4*. U.S. Environmental Protection Agency, Office of Environmental Information. EPA/240/B-06/001. February. http://www.epa.gov/quality/qs-docs/g4-final.pdf

EPA. 2008. Performance Evaluation of Laboratory Methods for the Analysis of Asbestos in Soil at the Libby, Montana Superfund Site. Produced by Syracuse Research Corporation for EPA, Region 8. Draft – October 7, 2008.

EPA. 2011. *National Functional Guidelines for Asbestos Data Review*. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation. Draft – August.

EPA. 2012a. Sampling and Analysis Plan/Quality Assurance Project Plan: Fish and Game Tissue Assessment. Libby Asbestos Site, Operable Unit 4. Produced by CDM Smith for the U.S. Environmental Protection Agency, Region 8. Revision 1 – October 2012

EPA. 2012b. Phase V Sampling and Analysis Plan for Operable Unit 3, Libby Asbestos Superfund Site Part B: 2012 Ecological Studies. Produced by CDM Smith for the U.S. Environmental Protection Agency, Region 8. Revision 2 – July.

EPA. 2012c. Addendum to the Game and Fish Tissue Assessment SAP/QAPP: Fixation of Game Tissue Samples for Analysis by TEM or SEM. Prepared for U.S. EPA Region 8 by CDM Smith. October 22, 2012

International Standards Organization (ISO). 1995. International Organization for Standardization Ambient Air. Determination of asbestos fibres – Direct-transfer transmission electron microscopy method. ISO 10312:1995(E).

Larson, T.C., Meyer, C.A., Kapil, V., Gurney, J.W., Tarver, R.D., Black, C.B., and J. E. Lockey. 2010. Workers with Libby Amphibole Exposure: Retrospective Identification and Progression of Radiographic Changes. *Radiology* 255(3):924-933.

Larson, T.C., Lewin, M., Gottschall, E.B., Antao, V.C., Kapil, V., and C.S. Rose. 2012a. Associations between radiographic findings and spirometry in a community exposed to Libby amphibole. *Occup Environ Med.* 69(5):361-6.

Larson, T.C., Antao, A.C., Bove, F.J., and C. Cusack. 2012b. Association Between Cumulative Fiber Exposure and Respiratory Outcomes Among Libby Vermiculite Workers. *J. Occup. Environ. Med.* 54(1): 56-63.

McDonald, J.C., McDonald, A.D., Armstrong, B., and P. Sebastien. 1986. Cohort Study of Mortality of Vermiculite Miners Exposed to Tremolite. *British Journal of Industrial Medicine* 43:436-444.

McDonald, J.C., Harris, J., and B. Armstrong. 2004. Mortality in a cohort of vermiculite miners exposed to fibrous Amphibole in Libby, Montana. *Occup. Environ. Med.* 61:363-366.

MFWP (Montana Fish, Wildlife and Parks). 2011. 2011 Montana Fishing Regulations. http://fwp.mt.gov/fwpDoc.html?id=48644


National Toxicology Program (NTP). 1985. *Technical report series no.* 295. *Toxicology and carcinogenesis studies of chrysotile asbestos (CAS No.* 12001-29-5) in F344/N rats (feed studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NIH Publication No. 86-2551.

Nelson, W. 1982. Applied Life Data Analysis. John Wiley & Sons, New York. pp 438-446.

Parametrix. 2009. Final Data Report: Remedial Investigation, Operable Unit 3 of the Libby Asbestos Superfund Site, Phase II, Part C: Autumn 2008 Aquatic Data Collection Program. Prepared by Parametrix for Remedium Group, Inc. March 2009.

_____. 2010. Final Data Report: Remedial Investigation, Operable Unit 3 of the Libby Asbestos Superfund Site, Phase III: Autumn 2009 Aquatic Data Collection Program. Prepared by Parametrix for Remedium Group, Inc. March 2010.


Peipins, L.A., Lewin, M., Campolucci, S., Lybarger, J.A., Kapil, V., Middleton, D., Miller, A., Weis, C., Spence, M., and B. Black. 2003. Radiographic Abnormalities and Exposure to Asbestos-Contaminated Vermiculite in the Community of Libby, Montana, USA. *Environmental Health Perspectives* 111:1753-1759.



This page intentionally left blank to facilitate double-sided printing.

Data Summary Report: Fish and Game Tissue Assessment Libby Asbestos Superfund Site Libby, Montana

Figures







Open Water

Note: These locations are approximate and not based on GPS coordinates.

Data Summary Report: Fish and Game Tissue Assessment Libby Asbestos Superfund Site Libby, Montana

Tables

TABLE 4-1 FISH FILLET TISSUE BURDEN RESULTS

Sample Information						Analysis Information						Results					
												Total LA			LA > 10 μm		
Field ID	Species	Length (inches)	Weight (grams)	Sample ID	Sample Type	EFA (mm²)	Ago (mm²)	F-factor	GOx	Mass (g, ww)	Sensitivity (1/g, ww)	Structures Counted	Tissue Burden (s/g, ww)	90% Poisson Confidence Interval on Tissue Burden	Structures Counted	Tissue Burden (s/g, ww)	90% Poisson Confidence Interval on Tissue Burden
MP-Fish-1	Rainbow Trout	9.6	140	TS-00001	Field Sample	365	0.013	0.2	4	3	1.2E+04	27	3.2E+05	2.3E+05 - 4.3E+05	3	3.5E+04	1.3E+04 - 8.2E+04
MP-Fish-2	Cutbow Trout	11.4	280	TS-00002	Field Sample	365	0.013	0.2	25	3	1.9E+03	5	9.4E+03	4.3E+03 - 1.8E+04	0	0.0E+00	0.0E+00 - 3.6E+03
MP-Fish-3	Cutthroat Trout	14.6	540	TS-00003	Field Sample	365	0.013	0.2	4	3	1.2E+04	72	8.4E+05	6.9E+05 - 1.0E+06	2	2.3E+04	6.7E+03 - 6.5E+04
MP-Fish-4	Cutbow Trout	14.6	560	TS-00004	Field Sample	365	0.013	0.2	4	3	1.2E+04	35	4.1E+05	3.1E+05 - 5.4E+05	3	3.5E+04	1.3E+04 - 8.2E+04
MP-Fish-5	Rainbow Trout	14.2	550	TS-00005	Field Sample	365	0.013	0.05	4	3	4.7E+04	136	6.4E+06	5.5E+06 - 7.3E+06	4	1.9E+05	7.8E+04 - 4.0E+05
MP-Fish-6	Cutbow Trout	13.0	450	TS-00006	Field Sample	365	0.013	0.2	8	3	5.8E+03	25	1.5E+05	1.0E+05 - 2.0E+05	2	1.2E+04	3.4E+03 - 3.2E+04
MP-Fish-7	Cutbow Trout	15.2	595	TS-00007	Field Sample	365	0.013	0.2	25	3	1.9E+03	18	3.4E+04	2.3E+04 - 4.9E+04	0	0.0E+00	0.0E+00 - 3.6E+03
IVIP-FISII-7		15.2	393	TS-00008	Field Duplicate	365	0.013	0.2	4	3	1.2E+04	29	3.4E+05	2.5E+05 - 4.6E+05	1	1.2E+04	2.1E+03 - 4.6E+04
	Farm-raised Trout			TS-00009	Field Blank	365	0.013	0.05	25	3	7.5E+03	0	0.0E+00	0.0E+00 - 1.4E+04	0	0.0E+00	0.0E+00 - 1.4E+04
	•		·						·			mean*:	1.2E+06		mean*:	4.2E+04	

Ago - area of grid opening

EFA - effective filter area

GOx - grid openings counted

ID - identifier

LA - Libby amphibole

mm² - square millimeters

s/g, ww - structures per gram, wet weight

μm - micrometers

g, ww - grams, wet weight

% - percent

*excludes field quality control samples

TABLE 4-2 DEER TISSUE BURDEN RESULTS

Sample Information			Analysis Information					Results ⁺⁺			
									Total LA		
Tissue Description	Sample ID	Sample Type	EFA (mm²)	Ago (mm²)	F-factor	GOx	Mass (g, ww)		Structures Counted	Tissue Burden (s/g, ww)	90% Poisson Confidence Interval on Tissue Burden
Heart	TS-00010	Field Sample	365	0.013	0.04	25	3	9.4E+03	0	0.0E+00	0.0E+00 - 1.8E+04
Kidney, Sample #1	TS-00012	Field Sample	365	0.013	0.15	25	3	2.5E+03	0	0.0E+00	0.0E+00 - 4.8E+03
Kidney, Sample #2	TS-00013	Field Sample	365	0.013	0.04	25	3	9.4E+03	0	0.0E+00	0.0E+00 - 1.8E+04
Inside Shoulder Muscle	TS-00015	Field Sample	365	0.013	0.04	25	3	9.4E+03	0	0.0E+00	0.0E+00 - 1.8E+04
	TS-00016	Field Duplicate	365	0.013	0.04	25	3	9.4E+03	0	0.0E+00	0.0E+00 - 1.8E+04
Diaphragm, Sample #2	TS-00018	Field Sample	365	0.013	0.04	25	3	9.4E+03	0	0.0E+00	0.0E+00 - 1.8E+04
Diaphragm, Sample #1	TS-00019	Field Sample	365	0.013	0.04	25	3	9.4E+03	0	0.0E+00	0.0E+00 - 1.8E+04
Backstrap Muscle, Sample #1	TS-00021	Field Sample	365	0.013	0.04	25	3	9.4E+03	0	0.0E+00	0.0E+00 - 1.8E+04
Backstrap Muscle, Sample #2	TS-00022	Field Sample	365	0.013	0.04	25	3	9.4E+03	0	0.0E+00	0.0E+00 - 1.8E+04
Lung, Sample #1	TS-00024	Field Sample	365	0.013	0.15	25	3	2.5E+03	0	0.0E+00	0.0E+00 - 4.8E+03
Lung, Sample #2	TS-00025	Field Sample	365	0.013	0.15	25	3	2.5E+03	0	0.0E+00	0.0E+00 - 4.8E+03
Liver, Sample #1	TS-00027	Field Sample	365	0.013	0.04	25	3	9.4E+03	0	0.0E+00	0.0E+00 - 1.8E+04
Liver, Sample #2	TS-00028	Field Sample	365	0.013	0.02	25	3	1.9E+04	0	0.0E+00	0.0E+00 - 3.6E+04
Muscle (Store-bought Beef Steak)	TS-00030	Field Blank	365	0.013	0.04	25	3	9.4E+03	0	0.0E+00	0.0E+00 - 1.8E+04

^{**} Because no total LA structures were observed results based on structures longer than 10 µm are not displayed.

Ago - area of grid opening

EFA - effective filter area

GOx - grid openings counted

ID - identifier

LA - Libby amphibole

mm² - square millimeters

s/g, ww - structures per gram, wet weight

g, ww - grams, wet weight

% - percent

mean*: 0.0E+00

^{*}excludes field quality control samples

Modification (Effective Date)	and Implications of Fish and Game Tissue Assessment SAP/QAPP Modification Description of Modification	Implications of Modification	Data Quality Indicator
LFO-000173 (10/22/2012)	The Tissue Sampling and Analysis Plan/Quality Assurance Project Plan (SAP/QAPP) specified collection of two game animals including one deer and one elk. If an elk could not be collected then two deer were to be collected. Only one game animal was collected, a deer.	Tissue burden results may not be adequate to support risk management decision-making.	No Bias
	In order to identify a location where deer and elk may occur and be collected, selected areas within Operable Unit 3 (OU3) were to be baited to attract the game animals. Motion activated game cameras were to be used to monitor use of the area remotely. The cameras were to be periodically visited and photos downloaded. Once the use of the area was established by deer and/or elk, the sampler could enter the site and collect the target species. Once animals were harvested, or if bear activity was detected, all baiting materials were to be collected and removed to eliminate the temptation for animals to return to area. Game cameras were not used. Baiting was performed but the deer collected was not taken off of the baits. The baits were not removed.	There are no anticipated negative implications of these modifications.	No Bias
	The SAP/QAPP specified the collection of global positioning system (GPS) coordinates for all bait and camera locations, as well as the specific area where deer and elk are collected. GPS location coordinates were not recorded.	There are no anticipated negative implications of this modification.	No Bias
	One tissue sample was to be collected for LA tissue burden for flank muscle, backstrap muscle, heart, liver, lung, kidney and diaphragm. Two samples of each tissue type were submitted for analyses instead of one.	There are no anticipated negative implications of this modification.	No Bias
	Muscle tissue samples were collected from the inside shoulder instead of the flank.	There are no anticipated negative implications of this modification.	No Bias
	Photographs were not collected of the animal prior to processing or all steps of the gross dissection process as specified by the standard operating procedure (SOP).	Confirmation of the location of tissue sample collections are not available.	No Bias
	Lung tissue was to be collected from the peripheral tip of one of the lobes. The location of the lung tissue samples was not noted in the field logbook or field sample data sheet (FSDS) form. There are also lesions observed on the lungs in photographs and these are not mentioned in the field documentation.	There are no anticipated negative implications of this modification.	No Bias

TABLE 5-2 EVALUATION OF FIELD DUPLICATE FOR FISH TISSUE

	Sample Ir		Consistinis	Total LA	Total LA	Daisson Datio Test (000/		
Field ID	Species	Sample ID	Sample Type	Sensitivity (1/g, ww)	Structures Counted	Tissue Burden (s/g, ww)	Poisson Ratio Test (90% Confidence Interval)	
MP-Fish-7	MP-Fish-7 Cutbow Trout		Field Sample	1.9E+03	18	3.4E+04	[0.06-0.17] Rate 1 is less	
IVIF-FISII-7	Cutbow Hout	TS-00008	Field Duplicate	1.2E+04	29	3.4E+05	than Rate 2	

ID - identifier

LA - Libby amphibole

s/g, ww - structures per gram, wet weight

1/g, ww - per grams, wet weight

% - percent

TABLE 5-3 CHISQ TEST RESULTS FOR FILTERS WITH LA STRUCTURES

Field ID	Species	Sample ID	Sample Type	CHISQ p- value
MP-Fish-1	Rainbow Trout	TS-00001	Field Sample	0.53
MP-Fish-2	Cutbow Trout	TS-00002	Field Sample	0.00
MP-Fish-3	Cutthroat Trout	TS-00003	Field Sample	0.80
MP-Fish-4	Cutbow Trout	TS-00004	Field Sample	0.46
MP-Fish-5	Rainbow Trout	TS-00005	Field Sample	0.05
MP-Fish-6	Cutbow Trout	TS-00006	Field Sample	0.77
MP-Fish-7	Cutbow Trout	TS-00007	Field Sample	0.04
IVIF -1-1511-7	Catbow Hout	TS-00008	Field Duplicate	0.24

CHISQ = Chi-square

Appendix A.1 Field Documentation (FSDS Forms and Field Logbook Notes)

[provided electronically upon request]

Appendix A.2

Analytical Laboratory Job Reports

[provided electronically upon request]

 ${\bf Appendix~B} \\ {\bf Microsoft~Access^{\circledR}~Database~for~the~Tissue~Study~(as~of~6/24/2013)}$

[provided electronically upon request]

This page intentionally left blank to facilitate double-sided printing.

Appendix C Game Tissue Assessment, Necropsy Narrative

APPENDIX C: GAME TISSUE ASSESSMENT, NECROPSY NARRATIVE

LIBBY ASBESTOS SUPERFUND SITE, LIBBY, MONTANA

Game tissue sampling activities began on October 22, 2013, at approximately 1315 hours when D. Repine (CDM Smith) and B. Forsythe (U.S. Fish and Wildlife Service) arrived at the decontamination trailer area of the former W.R. Grace mine. The carcass of the female mule deer harvested from the mine area was placed on a table covered with poly sheeting. D. McKean (U.S. Environmental Protection Agency, Region 8) performed the dissection of the animal and collected the necessary tissue samples. The tissue sampling activities occurred as follows:

1325 hours – Deer trachea sample for fixation was collected. Sample # TS-00034

The carcass of the deer was then manipulated such that the back straps were accessible and the removal of the back strap muscles began.

- 1330 hours Deer back strap muscle for tissue burden was collected; note that both back strap muscles were collected for sampling purposes. Samples # TS-00021 & TS-00022
- 1332 hours Deer back strap muscle for fixation was collected. Sample # TS-00023

After the samples had been collected from the back strap muscles and back straps removed, the deer was manipulated such that samples could be collected from the internal organs. The first organ to be removed and to have samples collected was the liver.

- 1340 hours Deer liver for fixation was collected. Sample # TS-00029
- 1345 hours Deer liver (sample #1) for tissue burden was collected. Sample # TS-00027
- 1349 hours Deer liver (sample #2) for tissue burden was collected. Sample # TS-00028





Following the collection of the samples from the liver, a fixation sample was collected from the large intestine.

• 1352 hours – Deer large intestine for fixation was collected. Sample # TS-00033

The chest cavity was then opened and sample collection began of the pleural lining. Note that only fixation samples were collected from the pleural lining, no tissue burden samples were collected.

- 1354 hours Deer Pleural lining (sample #1) for fixation was collected. Sample # TS-00031
- 1356 hours Deer Pleural lining (sample #2) for fixation was collected. Sample # TS-00032

Following the collection of the pleural lining samples, the kidneys of the deer were removed and tissue sampling was completed.

- 1400 hours Deer kidney for fixation was collected. Sample # TS-00014
- 1404 hours Deer kidney (sample #1) for tissue burden was collected. Sample # TS-00012
- 1405 hours Deer kidney (sample #2) for tissue burden was collected. Sample # TS-00013






Before the sampling of the lungs and heart could be completed; samples of the diaphragm were collected.

- 1410 hours Deer diaphragm (sample #1) for tissue burden was collected. Sample # TS-00019
- 1412 hours Deer diaphragm (sample #2) for tissue burden was collected. Sample # TS-00018
- 1412 hours Deer diaphragm for fixation was collected. Sample # TS-00020



With sampling of the diaphragm completed, sampling of the lungs and heart began. Lung samples were collected first.



- 1420 hours Deer lung for fixation was collected. Sample # TS-00026
- 1422 hours Deer lung (sample #1) for tissue burden was collected. Sample # TS-00024
- 1422 hours Deer lung (sample #2) for tissue burden was collected. Sample # TS-00025

A small (approximately 3 centimeters in diameter) cyst filled with clear fluid was noted on the lung. No other lesions were noted in any other tissue.







Following the collection of the samples from the lungs, samples from the heart were collected.



- 1430 hours Deer heart for fixation was collected. Sample # TS-00011
- 1432 hours Deer heart for tissue burden was collected. Sample # TS-00010

Rather than collecting samples from the flank of the animal, the sampling team elected to collect samples from the inside shoulder muscle of the animal, i.e., from the inside front left quarter of the animal. This deviation from the governing SAP was documented in field modification form #LFO-000173_Tissue SAP.



- 1438 hours Deer shoulder muscle for fixation was collected. Sample # TS-00017
- 1440 hours Deer shoulder muscle (sample #1) for tissue burden was collected. Sample # TS-00015
- 1442 hours Deer shoulder muscle (sample #2) for tissue burden was collected. Sample # TS-00016

Following the collection of the inside shoulder muscle samples, the remainder of the carcass was wrapped in poly sheeting and placed in poly bags. The carcass and quarters were transported to the CDM Smith office in Libby, Montana to be frozen for storage. A field blank sample was collected using a beef steak.

• 1530 hours – Deer field blank (beef steak) for tissue burden was collected. Sample # TS-00030

Following the collection of the field blank, all equipment used in the sampling effort was washed and decontaminated with a bleach solution. An equipment rinsate sample was collected from the sampling equipment following decontamination.

• 1540 hours – Rinsate sample was collected. Sample # TS-00035

At 1545 hours, all sampling was completed.

Appendix D Deer Tissue Fixation Laboratory Report

<u>23216_271201100</u>

Analysts: E.Wyatt-Pescador

R. Pescador

Samples Received: 10/23/12 Preparation Start Date: 10/25/12


Preparers: R. Pescador, E. Wyatt-Pescador, D. Barney

Method:


Preparation and analysis procedures were followed according to the Libby Asbestos Superfund Site Standard Operating Procedure Analysis of Tissue for Asbestos with Addendum: Fixation of Game Tissue Samples for Analysis by TEM or SEM (October 22, 2012). Sectioning was performed on Reichert Ultracut E Ultramicrotome with using glass knives. No deviation from SOP was performed.

Results:


a. TS-00011-Heart: Tissue appeared normal and void of inclusions. No evidence of inflammation or granulation observed.




b. TS-00014-Kidney: Tissue appeared normal and void of inclusions. Glomeruli are present but no inclusions or deposits were observed. No signs of inflammation or granulation were observed.




c. TS-00017-Shoulder: Muscle tissue appears normal. Microfilaments are well defined with minimal loss in structure. No signs of inflammation or granulation were observed.




d. TS-00020-Diaphragm: Tissue appeared normal and void of inclusions. No signs of inflammation or granulation were observed.




e. TS-00023-Backstrap: Tissue appeared normal and void of inclusions. No signs of inflammation or granulation were observed,




f. TS-00026-Lung: Surfactant was not observed in the alveoli. The alveoli appear normal. No apparent signs of necrosis were observed. No signs of inflammation or granulation were observed.




g. TS-00029-Liver: Hepatocytes are clear and well defined. Mitochondria appear to be well fixed. No signs of inclusions observed. No signs of inflammation or granulation were observed.









i. TS-00032-Pleura 2: No signs of inflammation or granulation were observed.



j. TS-00033-Large Intestine: Microvilli appear to be well fixed. No asbestos structures were observed within the microvilli. No inclusions were observed between the microvilli and basal cells.



k. TS-00034- Trachea: No signs of inflammation or granulation were observed



Additional tissues may be suggested for future analysis: Tongue, small intestine, hooves and skin including fur. Any mucosal membranes (e.g. eyes and nasal passages) may also be collected. Thin sectioning focuses its study at the cellular level. Inflammation and/or granulation levels will need to be at an extremely high level to be captured and recorded. These are representative micrographs collected after the required 50 grid opening analysis minimum. In addition, sectioning asbestos with glass is generally a difficult task. While sectioning the various samples it observed that no such difficultly was present. It may be concluded that there were no asbestos present in the sections which correlates to the absence in the sections observed under TEM.

This page intentionally left blank to facilitate double-sided printing.

Appendix E Record of Modification



Record of Modification

to Documents Governing Field Activities Libby Asbestos Project

Form No. LFO-000173

Requester: Damon Regine	Title: Field sup	port staff	
Company: CDM Smith	Date: <u>2/26/2</u> 01	13	
Governing document (title and approve Assurance Project Plan: Fish and Gam October 2012.	nd date) or SOP (title and SOF the Tissue Assessment, Libby /	⁾ number): <u>Sampling and Analysis Pla</u> Asbestos Site, Operable Unit 4. Revis	<u>an/Quali</u> sion 1 –
Field logbook and page number where Modifications are not recorded in logbo	modification is documented (lok (see attached table)	or attach associated correspondence) :
Description of modification (attach ad- SOP sections that are affected by the	ditional sheets if necessary; modification): <u>See attached ta</u>	include revised text for all document ble	t or
Implication(s) of modification (if applica	able, attach a list of affected p		
Duration of modification (indicate one):	:		
Temporary Date(s):			
Permanent Effective Date:	10/22/2012	,	
Data Quality Indicator (indicate one; reindicators):	ference the definitions below	for direction on selecting data quality	
■ Not Applicable	☐ Low Bias	🗅 Hịgh Bías	
□ Reject	□ Estimate	X No Bias	
Prepared by: Damon Repn (Team Leader or designate)	Date:	6/19/13	
Approved by: Jan 1997 (EPA RPM or designate)	Date:	6 19 3	

DATA QUALITY INDICATOR DEFINITIONS

Reject - Samples associated with this modification form are not useable. The conditions outlined in the modification form adversely affect the associated sample to such a degree that the data are not reliable.

Low Bias - Samples associated with this modification form are useable, but results are likely to be biased low. The conditions outlined in the modification form suggest that associated sample data are reliable, but estimated low.

Estimate - Samples associated with this modification form are useable, but results should be considered approximations. The conditions outlined in the modification form suggest that associated sample data are reliable, but estimates.

High Bias - Samples associated with this modification form are useable, but results are likely to be biased high. The conditions outlined in the modification form suggest that associated sample data are reliable, but estimated high.

No Bias - Samples associated with this modification form are useable as reported. The conditions outlined in the modification form suggest that associated sample data are reliable as reported.

Description of Modification	Section/Document	Implications	Data Quality Indicator
One game animal was collected instead of two.	Sections A6.1, B1.2, B2.1.1, of SAP/ QAPP	Tissue burden results may not be adequate to support risk management decision-making	No Bias
Motion activated game cameras were not used.	Section B2.1.1 of SAP/ QAPP	No negative implications were identified.	No Bias
Baiting was performed but the deer collected was not taken off of the baits.	Section B2.1.1 of SAP/ QAPP	No negative implications were identified.	No Bias
Baiting materials were not collected and removed after use.	Section B2.1.1 of SAP/ QAPP	No negative data quality implications were identified.	No Bias
Global positioning system (GPS) location coordinates were not recorded for bait and camera locations, as well as the specific area where the deer was collected. The general location of the deer collection and processing were described by field personnel.	Section B2.2 of SAP/ QAPP	No negative implications were identified.	No Bias
Muscle tissue samples were collected from the inside shoulder instead of the flank.	Section B2.1.1 of SAP/ QAPP and SOP EPA- LIBBY-2012-15	No negative implications were identified.	No Bias
Two samples were submitted for analyses of LA tissue burden instead of one sample for backstrap muscle, inside shoulder muscle, heart, liver, lung, kidney and diaphragm.	Section B2.1.1 of SAP/ QAPP and SOP EPA- LIBBY-2012-15	No negative implications were identified.	No Bias
Photographs were not collected of the animal prior to processing or all steps of the gross dissection process as specified by the SOP.	SOP EPA-LIBBY-2012- 15	Confirmation of the location of tissue sample collections are not available.	No Bias
The field logbook did not note deviations from the governing documents.	Section B3.1.3 of SAP/ QAPP	No negative implications were identified.	No Bias
Lung tissue was to be collected from the peripheral tip of one of the lobes. The location of the lung tissue samples was not noted in the field logbook or FSDS form. There are also lesions observed on the lungs in photographs and these are not mentioned in the field documentation.	Page 8 of SOP EPA- LIBBY-2012-15	No negative implications were identified.	No Bias

Appendix F
Data Verification Summary Report

This page intentionally left blank to facilitate double-sided printing.

Data Verification Report Fish and Game Tissue Assessment

Libby Asbestos Superfund Site Libby, Montana

June 2013

Contract No. EP-W-05-049 Work Assignment No. 329-RICO-08BC

Prepared for:



U.S. ENVIRONMENTAL PROTECTION AGENCY Region 8

Prepared by:



CDM Federal Programs Corporation 555 17th Street, Suite 1100 Denver, Colorado 80202



FIELD SAMPLE INFORMATION DATA TRANSFER VERIFICATION REPORT

Project/Dataset Description: Libby Asbestos Superfund Site, Fish and Game Tissue Assessment

SUMMARY OF FINDINGS AND DATA QUALITY IMPLICATIONS

A verification of 10% of the field sample data sheet (FSDS) information was performed for tissue samples in basic accordance with Standard Operating Procedure EPA-LIBBY-11 (revision 0). The samples selected for field sample data verification were the same samples selected for analytical data verification.

No discrepancies were identified in the transfer of field information from the FSDS forms into the project database. An issue was identified in which the Event ID (e.g., TS-080012) was unreadable on the FSDS form for one sample. Field personnel confirmed that the same Event ID applied to all tissue samples and was correctly entered in the project database.

The Data Verification Coordinator performed a check of 5% of the analyses verified to ensure that any potential issues were identified correctly. No deficiencies were noted.

RECOMMENDATIONS FOR FUTURE VERIFICATION

No discrepancies were identified; therefore, there is no need to perform future review or verification efforts for this dataset.

Date: 6.20/13

Date: 6/20/13

Data Verification Coordinator:

Verification Data Manage

*The Verification Data Manager acknowledges that all issues discovered during the verification process have been resolved and that the following criteria have been met:

- --All necessary corrections have been made to the field sample documentation forms utilized in the verification (FSDS forms, field logbooks, COC forms, etc.).
- -- The corrected field sample documentation forms have been re-submitted to the appropriate parties (as specified in the governing project documents).
- --All necessary corrections have been made to the project database.

FIELD SAMPLE INFORMATION DATA TRANSFER VERIFICATION REPORT

SAMPLE SELECTION

A verification of sample information was performed for the list of samples that were selected for analytical verification for this dataset.

DATA TRANSFER VERIFICATION RESULTS

Number of samples verified: 3

Number of samples with data transfer issues identified: 0 (0% of total samples verified)

Comments: Attachment 1 (Data Summary Table for Water Samples) contain the details of the verification. Attachment 2 contains the field documentation forms that were used for this verification effort.

ATTACHMENT 1. DATA SUMMARY TABLE FOR TISSUE SAMPLES

DVC - 5%	Sample ID	Matrix	Event ID	Address	Field Data Sheet	Sample Date	Property ID	Field Logbook	Field Logbook Page	Sampler	Location ID	Sample Time	Sample Venue	Sample PrePostClear	Sample Type	Sample Parent ID	Sample Composite (Y/N)	Sample ABS	Sample Aliquots	Sample Field Comments	Verifier's Company	Verifier's Name	Comment	Correction Date
EF	TS-00003	Tissue	TS-080012 N	IA.	B-100008	8/6/2012	AD-OU3NA	NA	NA	Volosin J Anchor QEA	AD-OU3NA	16:10	NA	NA	Field Sample		No	No	0	MP-Fish-3 Cutthroat Trout	CDM Smith	NR		
	TS-00007	Tissue	TS-080012 N	IA.	B-100010	8/6/2012	AD-OU3NA	NA	NA	Volosin J Anchor QEA	AD-OU3NA	19:55	NA	NA	Field Sample		No	No	0	MP-Fish-7 Cutbow Trout	CDM Smith	NR		
	TS-00025	Tissue	TS-080012	IA.	B-100017	10/22/2012	AD-OU3NA	101391	3	Repine D CDMSmith	XX-017361	14:22	NA	NA	Field Sample		No	No	0	Deer Lung for Tissue Burden (2)	CDM Smith	NR	Event ID is unreadable on the FSDS. Applies to 10 FSDS forms.	3/13/2013



ATTACHMENT 2 – FIELD DOCUMENTATION FORMS



Event ID TS - 0 90	Field Sam	Sample & Location ple Data Sheet	FSDS# B - 100008 Date 8/6/12
Property ID: ADOU.	3NA Logbook #_WA	_Pgs_ <i>u</i> ASampler(s)**	Date 8/6/12 Volosin, Joseph Anchor
Location ID	AD-OU3NA	1 是6 相关的证券基础是3 10 亿美元的 网络比别别的的现代	
ls this a new Location	Yes No Revised If No, "Z" through location section	Yes No Revised If No, "Z" through location section	Yes No Revised If No, "Z" through location section
Location Type			
t Location Description			
Location Area (ft²)			
Location Comment			
Location Comment2			
5 Sample ID	TS- 00001	TS- 00002	TS- 00003 🗸
Sample Time	1610	1610	1610 /
ABS	(N) Y	(N) Y	(N) Y
Matrix if other than Bulk	Other	Tissue Ash Other	Tissue Ash Other
Sample Venue	Indoor Outdoor NA	Indoor Outdoor (NA)	Indoor Outdoor (NA)
Sample Pre Post Clear	NA Other:	NA Other:	NA Other:
Sample Type	FS FD Other	(FS) FD Other	FS FD Other
Sample Parent ID	_		
Composite	Y N	Y (N)	Y (N)
Sample/Inspection Aliquots	30 Other 0	30 Other0	30 Other (0) L
Sample Location Description			•
120			<u></u>
Sample Field Comments	MP-Fish-1 Rainbow Trout	MP-Fish-2 Cutbow Trout	MP-Fish-3 Cutthroat Trout Show DNC-EF

For Field Team Completion Con

NN

Eve	ont ID TS-080 dress NA	いな Libby Bulk-Like Field Samp	Sample & Location le Data Sheet	FSDS# B- 100010
Add	dressNA			Date 8/6/12
Pro	perty ID: AD- <u>OU3</u> 1	JA Logbook # NA	Pgs_uA_Sampler(s)**_Vo	losin Joseph (Anchor QEA) 4
	Data Item			
	Location ID	AD-CUBNA		
	is this a new Location	Yes No Revised If No, "Z" through location section	Yes No Revised If No, "Z" through location section	Yes No Revised / If No, "Z" through location section
	Location Type	7	7	
	Location Description			
100	Location Area (ft²)			
	Location Comment			
	Location Comment2			120 m
	Sample ID	TS- 00007 🗸	TS- 00008	\$\langle \bar{\bar{\bar{\bar{\bar{\bar{\bar{
*	Sample Time	1955	1955	<u> </u>
	ABS	NY	(N Y	N Y
	Matrix if other than Bulk	Other Ash (10/21)	Other Ash	Tissue Ash Other
	Sample Venue	Indoor Outdoor NA	Indoor Outdoor NA	Indoor Outdoor NA
	Sample Pre Post Clear	NA) Other:	(NA) Other:	NA Other:
	Sample Type	FS FD Other	FS FD Other	FS FD Other
	Sample Parent ID	~	TS-00007	
1	Composite	Y (N) 🗸	Y (N)	Y/ N
	Sample/Inspection Aliquots	30 Other 0 V	30 Other 0 1)	30 Other 0
	Sample Location Description		·	
	Sample Field Comments	MP-Fish-7 Cutbow Trout 🗸	MP-Fish-7 Cutbow Trout Field Dup	
النبتيت	0400 *Beguired Field	**List company after Sampler(s) if	-at "CDM Cmith"	

For Field Team Completion: Completed by

From 10 of the end of the first

B. FORSYTHE (US FLS) A. NOVING D. REPONE Address <u>A/A</u> Sampler(s) A, CIRIAN (6PA) D. MCA FAN (19PA) Property ID: AD- 30344 Pgs 3 Logbook # 101391 Data Item Location ID XX-017361 Yes (No) Revised
If No, "Z" through location section **@9** (No Yes Revised Yes Revised Is this a new Location If No, "Z" through location section If No, "Z" through location section Location Type Location Description Location Area (ft²) Location Comment Location Comment2 Sample ID TS- 00027 TS- 00025 V TS- 00026 1422 13 45 1420 Sample Time (N) \sim Υ (N) V ABS Tissue (Tissule Ash Ash / issae Ash Matrix if other than Bulk Other Other ___ Other (NA (M) Outdoor Indoor Outdoor OSA V Indoor Outdoor Sample Venue Indoor (NA (AIA) Other: Other: Sample Pre Post Clear A(V) Other: FD Other (F\$) 🗸 FD FD Other_ (ES Other Sample Type Sample Parent ID ⇗ (A) / Composite Sample/Inspection **(** 30 Other 30 (O) 30 Other Other_ Aliquots Sample Location Description Deer Liver For Tissue Deer Lung For Fixation Deer Lungfor Tissue Burden (2) Burden (1) Sample Field Comments

20120 *Required Field **List company after Sampler(s) if not "CDM Smith"

The Ciells Team Completion: Completed by: ##W QC by: 111

For Data Entry:

Entered by:

QC by:



TEM CONSISTENCY REVIEW AND DATA TRANSFER VERIFICATION REPORT

Project/Dataset Description: Libby Asbestos Superfund Site, Fish and Game Tissue Assessment

SUMMARY OF FINDINGS AND DATA QUALITY IMPLICATIONS

A verification of 10% of the tissue sample results analyzed by transmission electron microscopy (TEM) International Organization for Standardization (ISO) 10312 was performed. This verification effort was based on the Libby Scribe databases and the final laboratory reports as provided by TechLaw in accordance with Standard Operating Procedure EPA-LIBBY-09 (revision 2).

One non-critical discrepancy was identified in which a grid opening name (i.e., C7) was incorrectly transferred from the benchsheet to the electronic data deliverable (EDD). This issue has been resolved by the analytical laboratory and the necessary corrections have been made to the EDD and loaded to the project database.

One issue was identified in which correct analytical information (e.g., minimum aspect ratio recording rule) from the EDD was modified during the upload process to the project database resulting in erroneous data being presented in the database. The data upload process has since been modified to correctly load the values presented in the EDDs.

The Data Verification Coordinator has performed a check of 5% of the analyses verified to ensure that any potential issues were identified correctly. No deficiencies were noted.

RECOMMENDATIONS FOR FUTURE REVIEW AND VERIFICATION

There is no need to perform future review or verification efforts for this dataset and there are no negative data quality implications because the issues discovered during the verification effort were non-critical, non-systematic issues and have been resolved.

Data Verifier:

Data Verification Coordinator:

Verification Data Manager*:

Date: <u>6.20.13</u> Date: <u>6.20.13</u> Date: <u>6.20.13</u>

*The Verification Data Manager acknowledges that all issues discovered during the verification process have been resolved and that the following criteria have been met:

TEM CONSISTENCY REVIEW AND DATA TRANSFER VERIFICATION REPORT

- All necessary corrections have been made to the laboratory EDD.
- The corrected laboratory EDD has been re-submitted by the analytical laboratory to the appropriate parties (as specified in the governing project documents).
- The corrected laboratory EDD has uploaded to the project database.
- All necessary corrections have been made to the hand-written laboratory benchsheet.
- The corrected hand-written laboratory benchsheet has been re-submitted by the analytical laboratory to the appropriate parties.

TEM ISO 10312 SELECTION AND CONSISTENCY REVIEW RESULTS

	Numl	oer of TEM ISC	10312	Number o	f TEM ISO 10312	2 Analyses
Analyst, Lab		Analyses		Se	elected for Revie	w
	Detect	Non-Detect	Total	Detect	Non-Detect	Total
E. Wyatt-Pescador, EMSL27	6	0	6	1	0	1
R. Pescador, EMSL27	1	12	13	1	1	2
Total	7	12	19	2	1	3

	Goal	<u>Actual</u>
Selected Total	2	3
Selected Detects	1	2
Selected Non-Detects	1	1

Detailed summary of bench sheet consistency review -

Number of analyses reviewed: 3 (100% of total analyses selected)

If not all analyses could be reviewed, provide a brief explanation for why: N/A

Number of analyses with recording issues identified: 0 (0% of total analyses reviewed)

DATA TRANSFER VERIFICATION RESULTS

Number of analyses verified: 3 (100% of total analyses selected)

Laboratory:

Number of analyses with data transfer issues identified: <u>1 (14% of total analyses verified)</u>
Types of data transfer issues identified:

1 Incorrect/missing information on raw structure details - grid opening name

A subsequent investigation of all samples in this dataset was performed to ensure that the grid opening names in the project database were consistent with the analytical method. No additional discrepancies were noted.

TEM CONSISTENCY REVIEW AND DATA TRANSFER VERIFICATION REPORT

Do the data transfer issues identified appear to be associated with a particular analyst or laboratory?
☐ Yes No
Database:
Number of analyses with data transfer issues identified: 3 (100% of total analyses verified)
Types of data transfer issues identified:
3 Analytical information (e.g., aspect ratio recording rule) was modified during the upload
process to the project database

A subsequent investigation of all samples in this dataset was performed to check for accuracy of the aspect ratio field and all analyses within the dataset (N=23) were found to be impacted by the same issue. The data upload process has since been modified to correctly load the values presented in the EDDs.

Comments: Attachment 1A (Data Summary of Analytical and Result Information) and 1B (Data Summary of Structure Information) contain the details of the verification findings along with the corrected data. Attachment 2 contains the laboratory benchsheets that were used for this verification effort, including the data verifier's notes, and all corrections received from the laboratory.



ATTACHMENT 1A. DATA SUMMARY OF ANALYTICAL AND RESULT INFORMATION

DVC - 5%	Samp No Rev	File Lab I	ID Instru	ment Ma	g High GO Si	ize EFA	Tag Samp Mas	Sample Mass Units	Receipt Date N	ab Job lumber	Lab SampleID	Number Grid Prep	Preparer Name	Prep Date	Analyst Name	Analysis Dat	e Prep Method	Analysis Method	Analysis Method Alid SOP	uot 1 Vol	ume 1 Est Filte	f F-Factor	Analysis Comments	Min AR N	cording Rules Min Length High	Min Width High	Stopping F et Sens Max Are Examine	tules Target N Strucs	Grid Ope	enings Counted	STRUCTON	THIGHMAG	STRUC	OA CH	Sens LA/OA	CH	STRUCTCONCH	СНІБНМАБ	STRUCT	TCONCPCME OA CH	Stopping Rul Achieved	maximu area examin	m Verifier's Verifier Company Name	S Comment - Lab	Con	rection Date
X-EF	S-00003	1 EMSL27	7 JEOL 100 CX	(II (27-2) 1	9000 0.01	3 365	Rep1 3	g ww	10/26/2012 271	201120 2	271201120-0003	5	E. Wyatt-Pescador	1/8/2013	E. Wyatt-Pescador	1/14/2013	Indirect - Ash	d TEM-ISO	SO 10312	20 :	100 20	0.2	C1 on 3/14/	3:1	0.5	0	0.25	25	4	4	72	0 0	15	0 0	1.2E+04	1.2E+04 8	.4E+05 0	0	1.8E+05	0 0	Structure Cou	nt 0.05	CDM Smith N. Ross	Grid_grid opening is C1_C9, not C1_C7 according benchsheet (last three rows of page 2). Structure in EDD (str. crosses non countable grid bar) were r recorded on benchsheet. MinARHigh should be 3:1, not 3:01 in the databas	to Comments not 3/:	21/2013
	S-00007	0 EMSL27	7 JEOL 100 CX	II (27-2) 1	9000 0.01	.3 365	Rep1 3	g ww	10/26/2012 271	201120 2	271201120-0007	5	E. Wyatt-Pescador	1/8/2013	R. Pescador	1/15/2013	Indirect - Ash	d TEM-ISO	SO 10312	20 :	100 10	0.2		3:1	0.5	0	0.25	25	25	25	18	0 0	3	0 0	1.9E+03	1.9E+03 3	4E+04 0	0	5.6E+03	0 0	Max Area Exam	ned 0.33	CDM Smith N. Ross	MinARHigh should be 3:1, not 3:01 in the databas	se. 3/	21/2013
	S-00025	0 EMSL27	7 JEOL 100 CX	II (27-2) 1	9000 0.01	.3 365	Rep1 3	g ww	10/26/2012 271	201119 2	271201119-0011	3	R. Pescador	1/12/2013	R. Pescador	1/16/2013	Indirect - Ash	d TEM-ISO	SO 10312	15 :	100 15	0.15		3:1	0.5	0	0.25	25	25	25	0	0 0	0	0 0	2.5E+03	2.5E+03	0 0	0	0	0 0	Max Area Exam	ned 0.33	CDM Smith N. Ross	MinARHigh should be 3:1, not 3:01 in the databas	se. 3/	21/2013



				Grid	Structure						Mineral	Mineral	EDXA Observatio	Structure Identificati	Chrysotile		Structure Verifier's	Verifier's		Correction
-00003	Structure ID 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_1	Row Index	Grid C1	Opening C7	Type	Primary 1	Total 1	Length 5.75	Width 0.25	AR 23	Class	Desc	n NaK	on ADX	Count	Low Mag No	Photo 2871 CDM Smith	Name N. Ross	Comment	Date
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_2	2	C1	C7	F	2	2	3.4	0.2	17 34.333333	LA	WRTA	NaK NaK	ADX ADX	Yes	No No	CDM Smith	N. Ross		
-00003	271201120-0003 Indirect-Ashed NotQC_TEM-ISO_3 271201120-0003 Indirect-Ashed_NotQC_TEM-ISO_4	4	C1 C1	C7	В	4	4	10.3 4.5	0.3	11.25	LA LA	WRTA	NaK	ADX	Yes Yes	No	CDM Smith	N. Ross		
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_5 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_6	5	C1 C1	C7	F	5	5	1.8	0.2	2.9333333	LA LA	WRTA	NaK NaK	ADX ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_7	7	C1	C7	В	7	7	11.5	1.9	6.0526316	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
-00003 -00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_8 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_9	9	C1 C1	C7	F	9	9	5.15	0.35	14.714286 24	LA LA	WRTA	NaK NaK	ADX ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_10	10	C1	C7	В	10	10	1.75	0.35	5	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_11 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_12	11 12	C1	C7	MD21 MB	11	11	5.5	0.75	7.3333333	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith	N. Ross		
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_13	13 14	C1	C7	MB	12	12 13	2.25	0.3	7.5	LA LA	WRTA	NaK	ADX	Yes	No	CDM Smith			
-00003 -00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_14 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_15	15	C1	C7	F	13	14	1.15	0.2	5.75	LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith CDM Smith			
-00003 -00003	271201120-0003 Indirect-Ashed NotQC_TEM-ISO_16 271201120-0003 Indirect-Ashed NotQC_TEM-ISO_17	16 17	C1 C1	C7	MD10 MF	14	15		0.3	10	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_18	18	C1	C7	F	15	16	5.5	0.25	22	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_19 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_20	19 20	C1 C1	C7	F	16 17	17	1.65	0.15	11 11 3333333	LA LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_21	21	C1	C7	F	18	19	2	0.2	10	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_22	22	C1	C7	F	19	20	1.25	0.2	6.25	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross	Grid_grid opening is C1_C9, not C1_C7 according to	
																			benchsheet (last three rows of page 2). Structure Comments (str crosses non countable grid bar) was not	
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_23	23	C1	C9	В	0	0	20	0.5	40	LA	WRTA	NaK	ADX	Yes	No	str crosses r CDM Smith	N. Ross	recorded on benchsheet. Grid grid opening is C1 C9, not C1 C7 according to	3/21/2013
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_24	24	C1	C9	F	20	21	1.4	0.2	7	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross	benchsheet (last three rows of page 2)	3/21/2013
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_25	25	C1	C9	CD20	21									Yes	No	CDM Smith		Grid_grid opening is C1_C9, not C1_C7 according to benchsheet (last three rows of page 2)	3/21/2013
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_26 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_27	26 27	C1 C1	C9	CF CF		22	3.7 2.55	0.2	18.5 17	LA LA	WRTA	NaK NaK	ADX ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_28	28	C1	C9	F	22	24	2.3	0.3	7.6666667	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_29 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_30	29 30	C1 C1	C9	F	23	25 26	1.15	0.2	10 4.6	LA LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_31	31	C1	C9	F	25	27	1.7	0.3	5.6666667	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_32 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_33	32	C1 C1	C9	B MD10	26 27	28	0.8	0.15	5.3333333	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_34	34	C1	C9	MF		29	1.25	0.25	5	LA	WRTA	NaK	ADX	Yes	No	CDM Smith			
-00003 -00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_35 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_36	35 36	C1 C1	C9	MD11 MF	28	30	5.8	0.25	23.2	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith	N. Ross		
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_37 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_38	37 38	C1 C1	C9 C9	F	29 30	31 32	3.1 1.9	0.25	12.4 7.6	LA LA	WRTA	NaK NaK	ADX ADX	Yes Yes	No No	CDM Smith	N. Ross		
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_39	39	C1	C9	F	31	33	2.4	0.1	24	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
-00003 -00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_40 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_41	40 41	C1 C1	C9	F	32 33	34 35	1.3 4.8	0.3	4.3333333 32	LA LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_42	42	C1	C9	F	34	36	2.7	0.25	32 10.8	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
-00003 -00003	271201120-0003 Indirect-Ashed NotQC_TEM-ISO_43 271201120-0003 Indirect-Ashed NotQC_TEM-ISO_44	43	C1	C9	F	35 36	37 38	1.75 5.25	0.25	7 17.5	LA LA	WRTA	NaK NaK	ADX ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_45	45	C1	C9	F	37	39	3.2	0.2	16	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_46 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_47	46	C3	B7 B7	B	38	40	3.75	0.2	18.75	LA LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_48	48	C3	87	F	40	42	1.5	0.3	5	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_49 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_50	49 50	C3	B7 B7	B F	41	43	2.95	0.25	11.8	LA LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith			
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_51	51	C3	87	F	43	45	2.95	0.15	19.666667	LA	WRTA	NaK	ADX	Yes	No	CDM Smith			
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_52 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_53	52 53	C3	B7 B7	F	44	46	3.2	0.15	21.333333 16	LA LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith			
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_54	54	C3	B7	F	46	48	4.4	0.35	12.571429	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_55 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_56	55 56	C3	B7 B7	F	47 48	49 50	2.6	0.2	13 12	LA LA	WRTA	NaK NaK	ADX ADX	Yes Yes	No No	CDM Smith	N. Ross		
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_57	57 58	C3	B7 B7	В	49 50	51 52	8.9 1.65	0.45	19.777778 11	LA LA	WRTA	NaK NaK	ADX	Yes	No No	CDM Smith			
10003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_58 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_59	59	C3	87	В	51	53	7	0.15	10	LA	WRTA	NaK	ADX	Yes Yes	No	CDM Smith			
00003	271201120-0003 Indirect-Ashed NotQC_TEM-ISO_60 271201120-0003 Indirect-Ashed NotQC_TEM-ISO_61	60 61	C3	B7 B9	В	52 53	54 55	1.35	0.2	6.75	LA LA	WRTA	NaK NaK	ADX ADX	Yes Yes	No No	CDM Smith			
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_62	62	C3	B9	F	54	56	1.8	0.15	12	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_63 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_64	63 64	C3	B9 B9	F	55 56	57 58	1.5 5.85	0.2	7.5 19.5	LA LA	WRTA	NaK NaK	ADX ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_65	65	C3	B9	F	57	59	1.35	0.3	4.5	LA	WRTA	NaK	ADX	Yes	No	CDM Smith			
-00003 -00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_66 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_67	66	C3	B9 B9	F B	58 59	60	2.9	0.45	6.4444444	LA LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_68	68	C3	B9	F	60	62	1.5	0.25	6	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_69 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_70	69 70	C3	B9 B9	F	61 62	63 64	8.2 5.15	0.3	27.333333	LA LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_71	71	C3	B9	F	63	65	2.2	0.25	8.8	LA	WRTA	NaK	ADX	Yes	No	CDM Smith			
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_72 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_73	72 73	C3	B9 B9	MD10 MF	64	66	3.5	0.2	17.5	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
00003	271201120-0003 Indirect-Ashed NotQC_TEM-ISO_74 271201120-0003 Indirect-Ashed NotQC_TEM-ISO_75	74 75	C3	B9 B9	B MD10	65	67	7.2	0.4	18	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
-00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_76	76	C3	B9	MF		68	5.2	0.25	20.8	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_77 271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_78	77	C3	B9 B9	F	67 68	69 70	2.9	0.45	6.6666667 8.2857143	LA LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith			
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_79	79	C3	B9	В	69	71	1.75	0.2	8.75	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
00003	271201120-0003_Indirect-Ashed_NotQC_TEM-ISO_80 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_1	80	C3 G1	B9 F4	F ND	70	72	6.5	0.15	43.333333	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
-00007 -00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_2	2	G1	F6 F8	ND										Yes	No No	CDM Smith			
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_3 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_4	4	G1 G1	F10	ND F	1	1	4	0.25	16	LA	WRTA	NaK	ADX	Yes Yes	No	Photo 2872 CDM Smith			
00007	271201120-0007 Indirect-Ashed NotQC TEM-ISO 5 271201120-0007 Indirect-Ashed NotQC TEM-ISO 6	5	G1 G1	H2 H4	ND ND										Yes Yes	No No	CDM Smith			
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_7	7	G1	Н6	ND										Yes	No	CDM Smith	N. Ross		
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_8 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_9	8	G3 G3	F3 F5	B MD11	3	2	1.75	0.35	5	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_10	10	G3	F5	MF	-	3	5.4	0.35	15.428571	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_11 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_12	11	G3 G3	F5 F7	F ND	4	4	2	0.25	8	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_13	13	G3	F9	F	5	5	2.25	0.25	9	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_14 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_15	14 15	G3 G3	F9 H4	F ND	6	6	3.6	0.25	14.4	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_16	16 17	G3 G3	H6 H8	F ND	7	7	3.2	0.4	8	LA	WRTA	NaK	ADX	Yes	No No	CDM Smith			
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_17 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_18	17	G3 G3	H8	ND F	8	8	3.25	0.2	16.25	LA	WRTA	NaK	ADX	Yes Yes	No	CDM Smith			
0007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_19 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_20	19 20	G3 G3	H10	F MD11	9	9	2.35	0.25	9.4	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_21	21	G3	H10	MF		10	5.3	0.5	10.6	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_22 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_23	22	G5 G5	G2 G4	F	11	11	1.5 6.4	0.25	6 12.8	LA LA	WRTA	NaK NaK	ADX	Yes Yes	No No	CDM Smith			
10007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_24	24	G5	G4	F	13	13	1.4	0.25	5.6	LA	WRTA	NaK	ADX	Yes	No	CDM Smith	N. Ross		
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_25 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_26	25 26	G5 G5	G4 G4	F	14 15	14 15	2.5	0.1	25 13	LA LA	WRTA	NaK NaK	ADX ADX	Yes Yes	No No	CDM Smith	N. Ross N. Ross		
00007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_27	27	G5	G6	ND										Yes	No	CDM Smith	N. Ross		
10007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_28 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_29	28	G5 G5	G8 G10	F ND	16	16	4	0.6	6.6666667	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
10007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_30	30 31	G5 G5	12	ND										Yes	No No	CDM Smith	N. Ross		
0007	271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_31 271201120-0007_Indirect-Ashed_NotQC_TEM-ISO_32	32	G5	16	ND F	17	17	1.85		5.2857143	LA	WRTA	NaK	ADX	Yes Yes	No	CDM Smith	N. Ross		
0007	271201120-0007 Indirect-Ashed NotQC TEM-ISO 33 271201120-0007 Indirect-Ashed NotQC TEM-ISO 34	33 34	G5 G5	18 110	F ND	18	18	3.4	0.25	13.6	LA	WRTA	NaK	ADX	Yes Yes	No No	CDM Smith			
0025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_1	1	F1	D9	ND										Yes	No	CDM Smith	N. Ross		
0025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_2 271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_3	2	F1 F1	D7 D5	ND ND							\vdash			Yes Yes	No No	CDM Smith			
10025	271201119-0011 Indirect-Ashed NotQC TEM-ISO 4	4	F1	D3	ND										Yes	No	CDM Smith	N. Ross		
10025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_5 271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_6	5	F1 F1	D1 C10	ND ND							\vdash			Yes Yes	No No	CDM Smith			
10025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_7	7	F1	C8	ND										Yes	No	CDM Smith	N. Ross		
00025	271201119-0011 Indirect-Ashed_NotQC_TEM-ISO_8 271201119-0011 Indirect-Ashed NotQC TEM-ISO 9	8 9	F1 F1	C6	ND ND										Yes Yes	No No	CDM Smith			
00025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_10	10	F1	C2	ND										Yes	No	CDM Smith	N. Ross		
00025	271201119-0011 Indirect-Ashed NotQC_TEM-ISO_11 271201119-0011 Indirect-Ashed NotQC_TEM-ISO_12	11 12	F2 F2	D1 D3	ND ND							\vdash			Yes Yes	No No	CDM Smith			
10025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_13	13	F2	D5	ND										Yes	No	CDM Smith	N. Ross		
10025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_14 271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_15	14 15	F2 F2	D7 D9	ND ND							\vdash			Yes Yes	No No	CDM Smith			
00025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_16	16	F2	E2	ND										Yes	No	CDM Smith	N. Ross		
10025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_17 271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_18	17 18	F2 F2	E4 E6	ND ND										Yes Yes	No No	CDM Smith			
00025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_19	19	F2	E8	ND										Yes	No	CDM Smith	N. Ross		
00025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_20 271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_21	20 21	F2 F3	E10 E9	ND ND							\vdash			Yes Yes	No No	CDM Smith			
		22	F3	E7	ND										Yes	No	CDM Smith			
00025	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_22																			
	271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_22 271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_23 271201119-0011_Indirect-Ashed_NotQC_TEM-ISO_24	23 24	F3 F3	E5 E3	ND ND										Yes Yes	No No	CDM Smith			



ATTACHMENT 2 – TEM LABORATORY BENCHSHEETS



LIBBY TEM Asbestos Structure Count_TissueEDD_1a EPA Sample EMSL27 Laboratory iD: TS-00003 Tag: Analyzed by: E.Wyatt-Pescador Number Recording Rules: एक गुल्हा JEOL 100 CX II (27-Instrument ID Matrix Tissue Analysis date 2) Minimum Aspect Ratio (circle one): 1774113 Voltage (KV) 100 3 Sample Mass (g wet weight) Prep Method Indirect-Ashed ≥ 3.1 ≥ 5:1 HGH Mag. 19,000 Date received by lab 10/28/12 Estimated Particulate Loading (%) 20 Minimum Length (um): D5 • LOW Grid opening area 0.013 Lab Job Number. 271201120 Analysis Method TEMHSO (mm2) Minimum Width (um): none Scale: 1L = Lab Sample Number: 271201120-0003 1 Grid storage location 2713-LIB-7. Scale: 1D = Number of grids prepared 5 Archive filter(s) storage location **ESAT Archive** Lab QC Type Filter pore size (um) 0.2 Prepared by (Not QC, Recount Same, Recount Different, Re-prep, Verified Analysis, Reconcillation, Lab Blank, Fitration E Wyatt-Pescador L Stopping Rules: Notoc Effective Filter Area Blank, Drying Blank, Lab Duplicate, Interteb) 365 Preparation date 01/08/13 Target Sensitivity. (mm2)Category Field EPA COC Number: 23248 Max Area Examined: 0.25 F-Factor Calculation (Indirect Preps Only): Enter data in appropriate cells provided to the right---> Target # of Structures: 25 No. of Structures Dimensions Mineral Class (see below) 1 = yes, blank = no Structure Grid Grid Identification Sketch/ Comments Opening Туре Mineral CH Not Primary Total Length Width LA OA CH NAM ED9 Sketch Photo Desc Counted Anx F-factor Calculation: 100 Resuspension volume (mL) 3.40 0.2D *h*tx 20 Volume applied to filter (mL) AOX 10.30 0.30 AOX WRTA Nak 4.5DO41 ADX 1.800.20 6 6 HYX 7 7 ADX AOX. 9 G 6.00 0.25 ADX 10 LA = Libby-type amphibole CH = Chrysotile OA = Other (non-Libby type) amphibole NAM = Non-asbestos material if sample was analyzed by more than one analyst or across multiple analysis dates, enter analysis details below. Grid opening traverse direction (circle one): Are prepped grids acceptable for analysis? (circle one) 5 Horizontal Analyst #2 Analyst#3 If No, explain: Analyzed by: V Venticed Analysis date:

52 VDVC-EF

Instrument

72/4

SPADER SE

LIBBY TEM Asbestos Structure Count_TissueEDD_1a

Lab Sample Number 271201120-0003	
Laboratory ID EMSL27	

	ं	, 11			Z.	, ,			Ş	į	
EPA Sample Number	•		E	<u>></u>	<u>o</u>	20	<u>0.</u>	٠.	_	•	
Matrix				Ţi	55	u	•				

Lab QC Type			No	QC			
Analyst Name			E.Wyatt	Pesc	ador		

Lab Job Number	271201120
Grid Storage Loc.	2713-LIB-7

Grid	Grid	Structure	No. of Str	uctures	Dime	nsions	Identification		Minera	i Class					1 = y	es, blank	= no	
	Opening	Туре	Primary	Total	Length	Width	ioentineadon	ĹA	OA	СН	NAM	Mineral Desc	EDXA	Sketch/Comments	Sketch	Photo	EDS	CH Not Counted
CI	C7	Mozi	11															
		MB		11	5.50	0.75	Aox	1		-		WRITA	Nak		1			
	-	MB		12	2.25	0.30	AOX	1				WATA	Nov	12	1			
		F	12	13	1.20	0.70	AOX	1				WRTA	Nak		I			
		F	13	4	1.15	0.20	Aox	1				WRTA	Nak					
		MDID	14											(QUI)				
		MF		15	3,00	0.30	Ao×	1				WATH	Nak		•			
		F	15	16	5.50	0.25	ADX	3				WRTH	Nak		ı			!
		F	16	רו	1.65	6.15	Ao×	i				LORTA	Nav		1			` .
		F	17	18	1.70	0.15	Aox	1				WRTH	nau		1			Α,
		F	18	19	1.00	0.20	AOX	i				WRITA	١		1			
		F	19	20	1.25	0.70	A0×	1				WRTH	Nox.		1			
	(69)	В	0	0	20:00	0.50	AOX	i				WETA	Nak	1	1			
-,010		F	20	21	1.40	0.70	Axx	i				WRTA	Nose		1			
		C020	21															-

Revised

23

Pago <u>Z</u> of <u>(</u>

LIBBY TEM Asbestos Structure Count_TissueEDO_1a

Laboratory ID EMSL27 EPA Sample Number TS-00003 Lab QC Type Not QC Lab Job Number 271201120 Lab Sample Number 271201120,0003 Matrix Tissue Analyst Name Ewist-reseator Grid Storage Loc. 2713-L18-7

Gid	Grid	Structure	No. of St	ructures	Dime	ensiona			Miner	- Class					4	es: blenk		
	Opening	Туре	Primary	Total	Length	Width	Identification	LA	OA	СН	NAM	Mineral Desc	EDXA	Sketch/Comments	Skatch	Photo	EDS	CH Not Counted
CI	<u>C7</u>	MD21	11															99.1.1.2
		MB	-	11	5.50	0.75	Aox	-				WRIA	NOK		i			
		MB	: 	12	2.25	0.30	ACX	- 1		·		WRTH	Nov	12	1			
		F	12	13	1.20	0.20	AOK	1				WEST	NOK		I			
		F	13	14	1.15	0.20	Aox	ŧ				WKIA	Nak					
		MDID	14															
		MF		15	320	0.30	Ao×	ì				WRTH	Nox		i,		- "	
		F	15	b	5.50	0.25	Abx	J				WRTH	Nak		1			
		F	16	П	1.65	6.15	Aox	1				WRTA	Nax	1	1			
		F	17	18	1.70	0.15	A:Cx	1				WRTH	Non		ı			
		F	18	19	2.00	0.20	AQ×	ı				WRTH	Nor		l			
		F	19	20	1.25	0.70	AD<	1				ł	NOX.		1/			
	<u>C9</u>	В	0	0	20:00	0.50	AOX	i				LIRTA	Nak	1	1			
		F	20	21	1.40	0.20	Axox	-				URTA	None		l			
		coro	21															

A str crosses non countable

53

MW

Laboratory ID EMSL27 EPA Sample Number TS-00003 Lab Sample Number 271201120-0003 Matrix Tissue	Lab QC Type Not QC Lab Job Number 271201120 Analyst Name Ewyatt-Rescador Grid Storage Loc. 2713-LiB-7
-------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------

Grid	Gnd	Structure	No. of St	ructures	Dime	ensions	Identification		Miner	al Class					1 = v	es, blank	= ne	
	Opening	Туре	Primary	Total	Length	Width	Total Carlotte	LA	OA	СН	NAM	Mineral Desc	EDXA	Sketch/Comments	Sketch	Photo	EDS	CH Not Counted
CI	c9	CF		22	3.70	8.20	AOX	1				WRIF	NOY	(23)	1			
		CF		23	2.55	0.15	ADX	1				WRTA	Nak	22	1			
		F	22	24	2.30	0-30	ADA	i_				WATA	Nak		-			
		F	23	25	2.00	0.20	Aox	1				WRTH	Nak		1			
		F	24	26	1.15	0.25	XOA	ı				WRTA	Nak)			
		F	25	27	1.70	0.30	AYX	1				LURTH	Nar		ı			
		В	26	28	0.80	0.15	AOX	1				WRTA	Nok		j			
		MDID	27											Al a			,	
		MF		29	1.25	0.25	Apx	ì				WRTA	Nak		١			
,		Moll	28															
		MF		30	5.80	0.25	ADX	1				WRTA	Nok		1			
		F	29	31	3.10	0.25	AOX	1				urta	Nau		1			
		F	30	32	1.90	0.75	AOX	l				JURT 74	Nak					
		F	31	33	2.40	0.10	AOX	ı				WETA	Nak		1			
		F	32	34	1.30	030	ADX	.1				WRTA	Nak		1			

Laboratory ID EMSL27 EPA Sample Number TS-00003 Lab QC Type Not QC Lab Job Number 271201120

Lab Sample Number 271201120-0003 Matrix Tissue Analyst Name E.Watt-Pescader Grid Storage Loc. 2713-UB-7

Grid	Grid Opening	Structure	No. of St	ructures	Dime	ensions	Identification		Minera	d Class	· · · · · ·			·.	1 = y	es, blank	= no	
	Opering	Туре	Primary	Total	Length	Width		ίΑ	OA	СН	NAM	Mineral Desc	EDXA	Sketch/Comments	Sketch	Photo	EDS	CH Not Counted
CI	<u>c9</u>	F	33	35	4.80	0.15	AOX	1				WRITH	Nak		1			
		F	34	36	2.76	0.25	HOX	Į				WRTA	Nak		j		7	
		F	35	37	1.75		Aox	ŀ	-			WKTA	Non		1			
		F	3 50	38	5.25	0.30	ADK	ł				WKTA	184		I			
		F	37	39	3.20	0.70	Aox					WOTA			ı			
C3	87	В	38	40	3.15	0.20	AVX	l			1	WRTA			1			
		F	39	41	3.70	0.15	AOX	١				WRIA	Nox		3			
<u> </u>		F	40	42	1.5D	6.30	AOX	1				WRTA			l			
		В	41	43	295	0.25	ADX	1				WRTA	Nax	199	J			
		F	42	44	2.25	0.15	AXX	1		. <u>.</u>		WRTA	Nov					
		F	43	45	2.95	012	AOX	}				WRTA			j			
		F	44	46	3.20	0.15	AOX	ĺ				WRITA	Naks		1			
		F	45	47	1	0.15	AOX	1		:		WRITA			j			
		F	46	48	4.40	0.35	ADX	j				WRTA	Now		1			
		F	47	49	2.60	0.20	Ack	1	į			WRITH	Nove		1	ŀ		

EMSL27 Laboratory ID EPA Sample Number TS-00003 Lab QC Type Not QC 271201120 Lab Job Number Lab Sample Number 271201120-0003 Matrix Tissue Analyst Name 2713-LIB-7 E.Wyatt-Pescador Grid Storage Loc.

Grid	Grid	Structure	No. of St	ructures	Dime	ensions	Identification		Minera	al Class					1 = y	es, blank	= no	
	Opening	Туре	Primary	Total	Length	Width		LA	OA	СН	NAM	Mineral Desc	EDXA	Sketch/Comments	Sketch	Photo	EDS	CH Not Counted
<u>C3</u>	87	F	48	50	3.00	0.25	Arox	1				WATE	Nak		1			
		В	49	51	8,90	0.45	Prox	1				WRTA	Nax		[
		F	50	52	1.65	0.15	Aox	1				WRITA	Nok		1			
		в	গ	53	7.00	0.70	HOX	1				WRTA	None		ı			
		В	52	54	1.35	0.20	AOX	1				WRTH	Nou		1			
	Bd	F	53	55	1.40	0.20	Aox	1				WRTA	Mak)			
		F	54	560	1.80	0.15	AOX	j				WRTA	Nak	-	,			
		F	55	57	1.50	0.70	AOX	-				WRTH	Nak					
		F	56	578	5,85	0.30	Apx	1				WATH	Wak		1			
		F	5	59	1.85	0.30	Aox	j			Ī	WRTA		2 10	1			
		F	58	60	2.90	0.45	AOX	}				WETA			I			
		В	59	61	8.30	0.35	Atox	1				WITH	Nau		I		·	
		F	60	62	1.50	0.25	ΧGA					WRSY		A	!			
		F	61	63	8.70	0.30	AOX	j				WRTA	Nak		- 1		_	
		F	62	64	5.15	0.20	Aox	J				WRITA			1			

Laboratory ID EMSL27 EPA Sample Number TS-00003 Lab QC Type Not QC Lab Job Number 271201120

Lab Sample Number 271201120-0003 Matrix Tissue Ewyati-Pescator Grid Storage Loc. 2713-UB-7

Grld	Grid	Structure	No. of St	ructures	Dime	natons	Identification		Minen	el Class	_				1 = y	es, blank	≖ no	
··	Opening	Туре	Primary	Total	Length	Width		LA	OA	СН	NAM	Mineral Desc	EDXA	Sketch/Comments	Sketch	Photo	EDS	CH Not Counted
CB	B9	F	63	65	2.20	6.25	Aox	1				WRITA	Nak		1			
		MDIO	64											MA				
		NF		(de	350	6.20	ADY	1				WRTA	Nak		{			
		В	65	67	7.20	0,40	ATOX	1				won	nou		I			
		MDIO	66			·								i ii				
- :-		MF		B	5.20	0.25	ADX	1				WRIA	Nak		1			
		F	67	69	00.6	0.45	Aox	1				WRTA	1 .)			
		F	68	70	2.90	0.35	Aox	ì	_			WETA	MA		1			
		В	69	71	1.75	0.20	Prox	į.				WETA	Nak		}			
		F	10	72	6.50	0.15	ADX	1				MOTA	Nous		-			
												·						
				ETTY	رر و	1/2013												
					~~	12013												
						j										ļ		

					/			TEM Asbestos	,	BBY re Count_ 0=0	TissueE	DD_1a
.aboratory	/ ID:		EMS	77 72	_	EPA Sar Number	elqn	TS-00007 V	Tag:	MI,	Hirlis	Analyza
nstrument	HD CH	JEC)L 100 2	CX II (27-)		Matrix			Т	issue	111112	Analysis
√oltage (K	(V)		1(10		Sample	Mass (g v	vet weight)		3 \		Prep Me
Mag.	19.	000	V	HIGH		Date rec	eived by I	a b	10	/26/12 U		Estimati
3nd openi (mm2)	0.013					Lab Job	Number:		271	201120	7	Analysis
Scale: 1L	=					Lab Sam	ple Numi	per:	27120	1120-0007	1	Grid sto
Scale: 1D						Number	of grids p	repared		5 🗸	7	Archive
ilter pore	size (um)		0.	2	/	Prepared	t by		E.Wyat	t-Pescador*	}	Lab QC (Not QC, Verified
Effective F (mm2)	ilter Area		36	5		Preparat	ion date		. 01	/08/13 L	1	Blank, Dr
Category			Fie	ld		EPA CO	C Numbe	r.		3240 2.56		F-Factor
					•				-,	11/16	liz	
Grid	Grid	Stru	cture	No. of St	ructures	Dime	nsions	identification	М	ineral Class	(see belo	w)
G IU	Opening	Ty	/pe	Primary	Total	Length	Width	(Certuicasión	LA,	OA.	ан	NAM
31	F 4	20										
		<u> </u>	<u> </u>			 				+	 	

Analyzed by:	R. Pescador
Analysis date	01/15/13
Prep Method	Indirect-Ashed
Estimated Particulate Loading (%)	10 .
Analysis Method	TEM-ISO L
Grid storage location	2713-UB-7
Archive filter(s) storage location	ESAT Archive
Lab QC Type (Not QC, Recount Same, Recount Offerent, Re-prep, Vertited Analysis, Reconciliation, Lab Blank, Pitration Blank, Drying Blank, Lab Duplicate, Interiet)	Not OC

F-Factor Calculation (Indirect Preps Only): Enter data in appropriate cells provided to the right----> Recording Rules: Minimum Aspect Ratio (circle one): ≥ 5:1 0.5 Minimum Length (um): Minanum Width (um): none :

				-77					_
Stopp	ing R	ules:			44		: 0		ì
4.	11.7		, i.,				y		٠.
Targe	t Sen	sitivit	у	W				40	
				4/7	_			· · ·	-
Max A	vrea E	cami	ned:		4.4	200	0.25	-	1
					-			. 1	_
Targe	t#of	Struc	aure	S.			25	~	•

Grid	Grid	Structure	No. of S	tructures	Dime	naions	Identification	Mic	neral Class	(see belo	w)			Q-4-1-0	1 = y	es, blank	= 110	
Gil	Opening	Туре	Primary	Total	Length	Width	(Oemancasion	LA,	OA.	ан	NAM	Mineral Desc	EDXA	Statch/ Comments	Sketch	Photo	EDS	CH Not Counted
SI	F 4	10																
	F6	nd						•										
	F8	no																
	FID	Ŧ	t	1	4.0	0.25	ADX)				UNTA	Make		1	22721 28723	1	
	H2_	nd							<u> </u>									
	44	nd																
	46	w																
G3	F3	В	2	2	1.25	0.35	ADX	1				WATA	Nak		1		,	
	FV	MDI	3															
		MF		3 -	5.40	0.35	ADX	1				WTA	Nak		F .		1	

-factor Calculation:	

Resuspension volume (mL) Volume applied to fitter (mL)

PV = PippA-tAbe eruburgo

OA = Other (non-Libby type) amphibole

CH = Chrysotile

NAM = Non-asbestos material

if sample was analyzed by more than one analyst or across multiple analysis dates,	ente
analysis details heless	

	Analyst #2	Analyst #3
Analyzed by:		
Analysis date:		
instrument		

Grid opening traverse direction (circle one)

H Horizontal

Are prepped grids acceptable for analysis? (circle one If No, explain:



Laboratory ID EMSL27

Lab Sample Number 271201120-0007

EPA Sample Number	TS-00007
Matrix	Tissue

Lab QC Type	Not QC Lab Job	Number	271201120
Analyst Name	R. Pescador Grid Stor	rage Loc.	2713-L18-7

Grid	Grid Opening		Structure		No. of Structure	ructures	Dim	ension s	dentification		Minera	al Class					1 = y	es, blank	= no	
J.I.G	Opening	Туре	Primary	Total	Length	Width	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u>LA</u>	OA	СН	NAM	Mineral Desc	EDXA	Sketch/Comments	Sketch	Photo	EDS	CH Not Counted		
G3	F.C	F	4	4	1. D	0,25	. ★D×	1			ļ. <u>-</u>	WATA	Nak		\	<u> </u>	1			
	F7	nd																		
	Fg .	f	S	5	2-25	0.25	Adx	1			<u></u>	WATA	Nak		ı		1			
		F	6	6	360	6.25	ADX	1				WIGH	Nali		1					
	+++	nd																		
·	46	۴	7	7	3.20	0.40	ADX	I				WITA	Nak)					
	HB	nd													· _	,				
	HID	F	યુ	8	3.25	0.20	ADX	1				WATA	welc	1	1					
		F	9	9_	2.35	0.25	ADX	,				WRTA	Nak		١			,		
		MDII	10											1 m				-,		
		MF		10	5,30	0.50	ADX	1				WRTA	Nde	WHIR	١					
ST	GZ	F	tt	it	1.50	0.25	~ 4 dx	1				WATA	Nek		1					
	G4	7	12	12	6.40	0.50	ADX	,				WETA	Nok		1					
		۴	13	13	1.40	0.25	Agx	1				NATA	Nah		1					
		F	N ·	7	250	0.10	ADX	1				DONTA	Nak		,					

EMSL27 Laboratory ID EPA Sample Number TS-00007 Lab QC Type Not QC Lab Job Number 271201120 271201120-0007 Tissue Lab Sample Number Matrix Analyst Name R. Pescacor Grid Storage Loc. 2713-LIB-7

0	Grid	Grid Structure No. of Structures Dimensions Identification		Miner	l Class					1 = yes, blank = no								
Grid	Opening	Туре	Primary	Total	Length		Identification	LA	OA	СН	NAM	Mineral Desc	EDXA	Sketch/Comments	Sketch	Photo	= no EDS	CH Not Counted
65	64	F	15	14	2.60	0.20	ADX	Ŧ				WATA			1			Societos
	G6	nd																
· · · · · · · · · · · · · · · · · · ·	G8	f	16	16	4.0	0.60	ADX	Ī				MDM	Nak		١			
	GB	nd				,												
	IZ	M																
	∓Y	nd														·		
	I6	۴	17	17	1.85	035	ADX	1 :				WKEA	Nah		١			
	I8	ß	18	18	3.40	0.25	AX	1				WGA	Nah		\			
	IIB	nd																
		<u></u>																
															_		-	
																	_	

Laboratory ID:	EMSL27				
instrument ID	JEOL 100 CX II (27- 2)				
/oltage (KV)	100				
Wag. 19,	OCO HIGH				
3rid opening area mm2)	:0.013				
Scale: 1L=					
Scale: 1D =					
litter pore size (um)	0.2				
iffective Filter Area mm2)	365 ⊌				
ategory	Field				

EPA Sample Number	TS-00025	Tag:	(GE)			
Matrix		Tissue				
Sample Mass (g	wet weight)		3 \			
Date received by	/ lab	10/28/12				
Lab Job Number	-	271201119				
Lab Sample Nun	nber:	271201119-0011 M				
Number of grids	prepared	3 /				
Prepared by	- .	R.P	escador L			
Preparation date		01	12/13			
EPA COC Numb	er:	2	3215			

Analyzed by:	R. Pescador v
Analysis date	01/16/13
Prep Method	Indirect-Ashed
Estimated Particulate Loading (%)	150
Analysis Method	TEM-ISO V
Grid storage location	2713-LIB-11
Archive filter(s) storage location	ESAT Archive
Lab QC Type (Not QC, Recount Same, Recount Different, Re-prep, Verified Analysis, Reconclitation, Lab Blank, Pitration Blank, Drying Blank, Lab Duplicate, Interlab)	Net oc

F-Factor Calculation (Indirect Precs Only):

Enter data in appropriate cells provided to the right---->

Recording Rules:	
Minimum Aspect Ratio (circ	de one):
none (≥3)	≥5.1
Minimum Length (um);	0.5 🗸
Minimum Width (um):	none V

Stopping Rule	26 .	
Target Sensiti	vity	
Max Area Exa	mined:	0.25
Hawaii.	in a co	· · · · · ·
Target# or Str	uctures:	25 🗸

Grid	Grid	Structure	No. of S	tructures	Dime	nsions		M	neral Class	(see belo	w)	Т			1 = yes, blank = no			
	Opening	Туре	Primery	Total	Length	Width	Identification	LA	OA.	СН	NAM	Mineral Desc	EDXA	Sketch/ Comments	Sketch	Photo	ED8	CH Not Counted
FI	DO	ref																Coences
	מל	nd												· · · · · · · · · · · · · · · · · · ·	<u> </u>			
	25	N										Ī .						
	D3	ng					**											
	DI	hd	-											· · · · · · · · · · · · · · · · · · ·				
F1	CIO	nd																
	ce	nd														_		
	Cb	nd												-			_	
	щ	nd											-					
	a	nd											·			_		

100 Resuspension volume (mL)

(Volume applied to filter (mL)

LA = Libby-type amphibole

QA = Other (non-Libby type) amphibole

CH = Chrysotile

NAM = Non-asbestos material

If sample was analyzed by more than one analyst or across multiple analysis dates, enter analysis details below.

67

	Analyst #2	Analyst #3
Analyzed by:		
Analysis date:		
Instrument		

Grid ope	ning traverse	direction (circle one):
н	Horizorani	

ዟ	Horizorasi	
	Vertical	/

	1	•	
~	- 1	0	
Ø	/	(. >

Are prep If No, exp	ped grids acc stein:	eptable for analysis?	(circle one)	⊗

_	_		

Laboratory ID EMSL27	EPA Sample Number TS-00025	Lab QC Type Not QC Lab Job Number 271201119
Lab Sample Number 271201119-0011	Matrix Tissue	Analyst Name R. Pescador Grid Storage Loc. 2713-LIB-11

	1						Pullings traine						A CONTRACTOR OF THE PROPERTY O		Grid Storage Loc. 2713-			
Grid	Grid Opening	Structure Type	No. of St	No. of Structures		nsions	sions Identification		Minera	l Class					1 = v	es, biank	= 100	
	Орстину	Type	Primary	Total	Length	Width		LA	OA	СН	NAM	Mineral Desc	EDXA	Sketch/Comments	Sketch			CH Not Counted
F2	DI	nd														11000		Counted
	D3	no					·											
	Qs-	No																<u> </u>
	07	rd				-												
	Do	N	·															
	E2	nd												·		-		
	84	nd		_														
	کی	Not								-			t.					
	Ex	nel													-		-	-
	દાષ્ટ	nd	.*															
F3	१९	na					200											
	£7	nd					194 1944											
	٣.	nd								_								
	E 3	nd																
	ધ	nd																